

INDEX TO VOLUME X

- Acabaria*, 88
 bicolor, 88
 divaricata, 88
Acacia, 137
Acanthurus, 166
 achilles, 160–163, 169, 201–203
 aliala, 199, 201
 armiger, 196
 aterrimus, 201, 202
 atramentatus, 187, 189
 auranticavus, 171, 210, 211
 aurolineatus, 180
 babianus, 163, 172, 225
 bariene, 170, 206, 207
 bipunctatus, 187, 189, 190
 bleekeri, 161, 167, 180
 blochii, 215, 217, 219
 brevis, 222
 Broussonnetii, 221
 carinatus, 194
 celebicus, 197
 chirurgus, 163, 165, 166, 172, 223–225
 chryosoma, 204
 coeruleus, 161, 166, 172, 221–223
 crestonis, 165, 216, 218
 Delisiani, 198
 doreensis, 160, 226
 dussumieri, 160, 162, 163, 171, 213–215
 elongatus, 160, 187, 190
 eparei, 203
 flavoguttatus, 191
 fowleri, 170, 206
 fraterculus, 160
 fuliginosus, 160, 216, 217
 fuscus, 185, 197
 gabhm, 161, 170, 207–209
 gabm, 190
 gabmoides, 207
 glaucopareius, 160, 162, 163, 169, 199–201
 glaucopareius japonicus, 200
 grammoptilus, 171, 211–213
 Guntheri, 180
 guttatus, 161, 163, 167, 184, 192
 heliodes, 222
 hepatus, 222, 223, 225
 hirudo, 173
 humeralis, 203
 Kingii, 206
 Lamarrii, 213
 leuchocheilus, 161, 168, 195–197
 leucopareius, 161, 162, 168, 185–187
 leucosternon, 161, 163, 169, 197–199
 lineatus, 161, 163, 168, 193, 194
 lineolatus, 160, 187, 190, 193, 219
 lunulatus, 160
 maculiceps, 171, 209, 210
 marginatus, 190, 192
 mata, 160, 162, 163, 172, 190, 218–220
 matoides, 190, 193, 215, 217
 melanurus, 161
 melas, 161
 Meleagris, 160
 Militaris, 160
 mindorensis, 161, 167, 183
 monroviae, 172, 220, 221
 nigricans, 201, 207
 nigricans var. *olivaceus*, 203
 nigrofuscus, 160, 168, 188–193
 nigroris, 161, 163, 168, 187–192
 nigros, 187, 190
 nubilus, 161, 167, 179
 nummifer, 206
 olivaceus, 161, 163, 165, 170, 203–206
 pentazona, 173
 philippinus, 182
 phlebotomus, 220, 223
 plagiatus, 205
 polyzona, 161, 167, 179
 pyroferus, 161, 162, 169, 196–198
 rackliffei, 160, 200
 rasi, 219
 rubropunctatus, 190, 192
 sandvicensis, 174
 sobal, 161–163, 168, 194, 195
 Subarmatus, 173
 tennenti, 161, 163, 170, 204–206
 thompsoni, 161, 167, 182
 tractus, 225
 triostegus, 161–167, 172–179
 triostegus marquesensis, 174
 triostegus var. *polyzona*, 179
 var. *sandvicensis*, 173
 tristis, 197
 umbra, 185, 216, 219
 Umbratus, 160
 undulatus, 213
 vittatus, 193
 violaceus, 222
 weberi, 180
 xanthopterus, 160, 162, 165, 171, 193, 215–218
 zebra, 173
Acartia biflosa, 470
 iseana, 468–470
 tsuensis, 470, 471
Acetabularia exigua, 42
 moebii, 43
Acmaea digitalis, 415
Acronurus anginosus, 161
 argenteus, 161
 brevispinis, 161
 caeruleatus, 222
 carneus, 161
 formosus, 201
 fuscus, 161
 lineolatus, 161
 machaeopterus, 161
 melanurus, 161
 nigriculus, 225
 orbicularis, 161
Actinotrichia fragilis, 46
Aetea anguina, 114–116
Aglaiia mariannensis, 98
 palauensis, 98
 ponapensis, 98
Alcyonium arboreum, 69

- Allophylus holophyllus*, 98
ternatus, 98
timorensis, 98
Alpheopsis aequalis, 325
biunguiculatus, 327, 329
chilensis, 327
diabilus, 325-327
equalis, 325, 329
fissipes, 327
idiocarpus, 329
tetrartibri, 328, 329
trispinosus, 327
Alpheus alcyone, 354
arethusae, 354
bastardi, 360
bouvieri, 360
bradypus, 351, 355
brevipes, 354
brevirostris, 359
bucephalus, 355
chamorro, 349-351, 366
cloudi, 352-354
collumianus, 338
inermis, 342-344
medius, 340-342
probabilis, 338-340, 342, 344
deuteropus, 344
diadema, 357
dolerus, 362-365
edmondsoni, 345
eulimene, 356
frontalis, 357
gracilipes, 357
gracilis, 345
var. simplex, 345, 356
haanii, 365
hailstonei, 338
idiocheles, 366, 367
insignis, 357
ladronis, 359
laevis, 345
latipes, 345
leptochirus, 362
lutini, 346, 366
malleodigitus, 346
microstylus, 346, 366
nanus, 345
oahuensis, 338
obesomanus, 345, 346
ovaliceps, 357
pachychirus, 356
pacificus, 362
paracrinatus var. *bengalensis*, 358
paragracilis, 345
paralcyone, 350
parvirostris, 365
perplexus, 347-351, 366
pbrygianus, 346, 366
providencei, 354
rapax, 358
savuensis, 359
styliceps, 356
tutbilli, 338
ventrosus, 345
Alsophila? polypodoides, 269, 270
Alticus brevis, 246
gibbifrons, 254
marmoratus, 251
variolosus, 250
zebra, 253
Alyxia palauensis, 101
Torresiana, 101
Amphiroa anastomosans, 50
foliacea, 51
fragilissima, 50
taylorii, 50
Anadyomene reticulata, 32
wrightii, 31
Anisotremus interruptus, 108
Anthothela, 86
alba, 86
nuttingi, 86, 87
Antithamnion antillanum, 53
lherminieri, 53
Antropora japonica, 114, 118
Apodemus geisha, 310
Apristurus spongiceps, 20
Arete iphianassa, 325
Asparagopsis taxiformis, 45
Aspidium? amoia, 268, 269
biserratum, 268
exaltatum, 268
Aspidontus brunneolus, 257
filamentosus, 243
taeniatus, 243
Aspisurus sobar, 194
Astronia carolinensis, 100
palauensis, 100
ponapensis, 100
Atbanas areteformis, 324, 325
djiboutensis, 322
subius, 322-325
erythraeus, 324, 325
naijaroensis, 325
sulcatipes, 322
Automate gardineri, 321
johnsoni, 321
Avrainvillea nigricans, 39
Balanus balanoides, 415, 421
cariosus, 415, 416
crenatus, 421
glandula, 415-421
 BALLARD, FRANCIS:
 Pacific ferns described in *Oceanic Sketches*, 268-270
 BANNER, A. H.:
 Alpheid shrimp from the Mariana Archipelago, 318-373
 BARNES, H. AND M. BARNES:
 General Biology of *Balanus glandula*, 415-422
Barringtonia asiatica, 99
racemosa, 99
 BARY, BRIAN M.:
 Notes on Ecology, Systematics, and Development of Mysids and Euphausiids from New Zealand, 431-467
 BAYER, FREDERICK M.:
 Hawaiian Octocorals (Gorgonacea: Scleraxonia) Collected by "Albatross," 67-95
 Beachrock in the Hawaiian Islands, 382-402
Betaeus microstylus, 346
Biddulphia, 381

- Bikkia mariannensis*, 101
palauensis, 101
Birgus latro, 303-309
Blenniella rhessodon, 254
Blennius leopardus, 246
marmoratus, 251
Boodea composita, 30
vanbosseae, 29
Boreomysis rostrata, 431
Bostrychia exigua, 54
Botryocladia kuckuckii, 52
skottsbergii, 52
Brachionus plicatilis, 470
Briareum grandiflorum, 86
Bryopsis indica, 34
furcellata, 39
pennata, 34
Buchanania Engleriana, 98
palauensis, 98
Bugula californica, 114, 121
japonica kurilensis, 122
sp., 114, 121
Callihamnion lherminieri, 53
Callopora lineata, 114, 118, 119
Caloglossa adnata, 57
leprieurii, 57
Calophyllum cholobtiaches, 99
Inophyllum, 99
Caranx caballus, 108
melampygus, 108
Caulerpa ambigua, 35, 36
antoensis, 36
arenicola, 37
clavifera var. *turbinata*, 35
elongata, 37
peltata, 35
racemosa var. *macrophysa*, 35
peltata, 35
turbinata, 35
serrulata, 38
serrulata var. *boryana*, 38
sertularioides, 38
taxifolia, 35
urvilliana, 37
verticillata, 37
vickersiae, 35
Caulibugula aspinosa, 114, 122
Cauloramphus spiniferum, 114, 118, 119
Cerbera dilatata, 101
floribunda, 101
Manghas, 101
Centrocera apiculatum, 55
clavulatum, 55
minutum, 54
Ceramiella, 54
Ceramium byssoideum, 53
camouii, 53
clarionense, 54
clavulatum, 55
fimbriatum, 53
gracillimum var. *byssoideum*, 53
huysmansii, 54
masonii, 53
mazatlanense, 53
serpens, 54
Chaetoceras, 378
Chaetodon chirurgus, 223
couaga, 173
elongatus, 160
Gabm, 207
lineatus, 193
meta, 218
nigricans, 209, 218
nigrofuscus, 190, 209
sobal, 166, 194
Sobar, 194
triestegus, 173
Chaetomorpha indica, 33
Champia compressa, 51
parrula, 51
vieillardii, 51
Chauvinia macrophysa, 35
Cheilostomatous Bryozoa from the Kurile Islands and the Neighbouring Districts, 113-135
 CHINA, W. E. AND J. A. SLATER:
 New Subfamily of Urostylidae from Borneo, 410-414
 CHOCK, ALVIN K.:
 Revision of Hawaiian *Sophora*, 136-158
Chondria parvula, 51
repens, 60
Chrysomenia kairnbackii, 51
okamurai, 51
skottsbergii, 52
Chthamalus dalli, 416
Cinnamomum carolinense, 97
carolinense var. *oblongum*, 97
sessilifolium, 97
Cirripectes alboapicalis, 247, 250
brevis, 246
leopardus, 246
obscurus, 247
variolosus, 247, 250
Cirripectus, 242
alboapicalis, 263, 264
brevis, 246
leopardus, 246
lineopunctatus, 244, 248-251, 262, 264
obscurus, 243, 247, 251, 263, 264
quagga, 249, 263, 264
variolosus, 244, 247, 250, 251, 263
Cladophora anastamosans, 30
composita, 30
crystallina, 33
montagnei var. *radicans*, 29
pateniramea var. *longiarticulata*, 34
socialis, 34
Cladophoropsis gracillima, 30
sundanensis, 30, 33
zollingeri, 31
Clasping Mechanism of the Cottid Fish Oligocottus snyderi Greeley, 314-317
Clavularia alba, 86
Cleistanthus angularis, 98
carolinensis, 98
Morii, 98
Clematissa verrilli, 92
Cocconeis pendiculus, 378, 381
Codium arabicum, 38
edule, 39
geppii, 39
ovale, 39

- Codonellina operculata*, 114, 125-127
spatulata, 125
- Coelarthrum boergesenii*, 51
- Coenobita cavipes*, 306
clupeatus, 306
rugosus, 303-309
- Conferva carnea*, 45
clathrata, 27
crystallina, 33
utricularis, 28
- Conopeum reticulum*, 114-116
- Contributions to the Knowledge of the Alpheid Shrimp of the Pacific Ocean Part I. Collections from the Mariana Archipelago, 318-373
- Corallina decussato-dichotoma*, 49
fragilissima, 50
opuntia, 41
- Corallium*, 70
abyssale, 74-76, 79, 83
borneense, 74, 76
böshuense, 74, 75
ducale, 74, 75
elatius, 74, 76
balmabeirensis, 74, 76
imperiale, 74-76, 78
inutile, 74, 76, 84
japonicum, 74, 76
johnsonii, 70
kōnojoī, 74, 76
laeuenense, 74-80, 83
maderense, 74, 78
niveum, 74-76, 79, 84, 85
pusillum, 74, 76, 84
regale, 74-78, 83
reginae, 74, 76
rubrum, 70, 74
secundum, 74-76, 79-81, 85
stylasteroides, 74, 76, 84
sulcatum, 74, 75, 77
tortuosum, 74-76, 79, 81, 82, 84, 85
tricolor, 74, 78
variabile, 74, 76
- Coryphaena hippurus*, 261
- Coscinodiscus*, 377
centralis, 381
marginatus, 379, 381
pacificus, 381
- Couthovia calophylla*, 100
tona, 100
- COWPER, T. R.:
 A New Gadiform Fish from the Continental Slope off Southeastern Australia, 407-409
- COX, D. C. AND K. O. EMERY:
 Beachrock in the Hawaiian Islands, 382-402
- Crangon* (see *Alpheus*)
- Crouania attenuata*, 56
minutissima, 55
- Cruoriella dubyi*, 47
- Cryptosula pallasiana*, 123
- Ctenochaetus magnus*, 165
striatus, 165
- Ctenodon erythromelas*, 203
lineatus, 193
rubropunctatus, 190
Rüppelii, 194
- Cynometra carolinensis*, 97
Yokotai, 97
- Cyrtandra palawensis*, 101
ponapensis, 101
tōdaiensis, 101
Urvillei, 101
- Dardanus punctulatus*, 303-308
- DAWSON, E. YALE:
 Marine Algae of Marshall Islands, 25-66
- Decaspermum fruticosum*, 99
Raymundi, 99
- Delesseria adnata*, 57
leptierii, 57
- Dendrobeania kurilensis*, 114, 122
- Derbesia attenuata*, 34
marina, 34
minima, 34
ryukyuenensis, 34
- Description of a New Species of *Elytrurus* and a Catalogue of the Known Species (Coleoptera: Curculionidae: Otiorthynchinae), 286-295
- Descriptions and Redescriptions of the Hawaiian Octocorals Collected by the U.S. Fish Commission Steamer "Albatross" (2. Gorgonacea: Scleraxonia), 67-95
- DESIKACHARY, T. V.:
 Observations on Two Species of *Liagora*, 423-430
- Diatoms in the Ocean Deeps, 377-381
- Dictyopteris repens*, 44
- Dictyosphaeria bokotensis*, 28
cavernosa, 29
intermedia var. *solida*, 28, 48
mutica, 29
versluysii, 29
- Dictyota variegata*, 44
- Dictyurus purpurascens*, 57
- Diospyros*, 137
- Diploneis crabro*, 381
- Discocalyx megacarpa*, 100
ponapensis, 100
- Dodonaea*, 137
- Dryopteris leucolepis*, 270
ornata, 270
- Ecseuius bicolor*, 263, 264
hawaiiensis, 244, 246, 255, 263, 264
mandibularis, 255
- Ectocarpus breviaritculatus*, 43
duchassaingianus, 43
guadeloupensis, 43
indicus, 43
mittchellae, 43
- Edwardsia chrysophylla*, 137
grandiflora, 137
microphylla, 137
- Elaeocarpus carolinensis*, 98
joga, 98
Kerstingianus, 98
kusaiensis, 98
Kusanoi, 98
rubidus, 98
- Electra crustulenta* var. *artica*, 114-116
- Elytrurus*, 291
 catalogue of known species, 286-295
- EMERY, K. O. AND D. C. COX:
 Beachrock in the Hawaiian Islands, 382-402
- Enchelyurus*, 256
ater, 256, 257, 264
brunneolus, 244, 256, 263, 264
edmondsoni, 256, 257

- flavipes*, 256
hepburni, 256
kraussi, 256
Endosiphonia spinuligera, 58
Enneapterygius atriceps, 245
atripes, 245
bemimelas, 245
Enteromorpha clathrata, 27
compressa, 27
kylinii, 27, 33
ralfsii, 27, 33
Entomacrodus, 242, 262
epalzeo cheilos, 252, 263, 264
gibbifrons, 254
marmoratus, 244, 251, 252, 254, 263, 264
Entophysalis crustacea, 386
Erythrotrichia carnea, 45
Ethmodiscus rex, 377, 381
Euchaetomera zurstrasseni, 431
Euchinorbinus brucus, 20
Eugenia carolinensis, 100
cumini, 100
javanica, 99
malaccensis, 100
palauensis, 100
palumbis, 100
Reinwardtiana, 100
stelechantha, 99
stelechanthoides, 99
Suzukii, 99
Thompsonii, 99
Eumecichthys fiski, 20–22
Euphausia crystallorophias, 447
frigida, 447–449, 451, 463
lucens, 431, 432, 440–444, 447–453, 463, 464
simplex, 462, 463
splendens, 442
superba, 447–463
triacantha, 463
vallentini, 431, 442–444, 447–451, 463, 464
Euprotomicrus bispinatus, 17–20
Euthyroides simplex var. *kishikaensis*, 121
Evodia nitida, 97
palawensis, 97
trichantha, 98
Exalias obscurus, 247
Exallas obscurus, 247
Exallias, 242
brevis, 243, 246, 250, 263
Fagraea galilai, 100
ksid, 100
sair, 100
Falkenbergia hillebrandii, 45
Ficus carolinensis, 97
philippinensis, 97
ramentacea, 97
retusa, 97
Senftiana, 97
tinctoria, 97
Fishes
 list of species tested for poisonousness, 106
Flustra episcopalis var. *simplex*, 121
simplex var. *kishikaensis*, 121
Foshiella farinosa, 49
paschalis, 49
Fritillaria aberrans, 406
abjornseni, 403–406
amygdala, 405
arafoera, 403–406
campila, 405
haplostoma, 403–406
limpida, 405
lobmanni, 403–405
lucibila, 405
magna, 406
tacita, 405, 406
tereta, 403–405
Fritillaria arafoera n.sp., a Form of the Sibling Species: *Fritillaria haplostoma*—Complex (Appendicularia: Chordata), 403–406
Fucus filamentosus, 56
fragilis, 46
miniatus, 47
pusillus, 46
serrulatus, 38
taxifolius, 35
turbinatus var. *ornatus*, 44
Galaxaura acuminata, 45
apiculata, 46
fasciculata, 45
filamentosa, 46
Garcinia Matudai, 99
ponapensis, 99
rumiyo, 99
trukensis, 99
Gelidiella adnata, 46
stichidiospora, 46
tenuissima, 46
Gelidiopsis intricata, 46
repens, 46
Gelidium pusillum, 46
repens, 46
General Biology of *Balanus glandula* Darwin, 415–422
Geniostoma Hoeferi, 100
kusaiense, 100
micranthum, 100
sessile, 100
stenurum, 100
Geppella mortensenii, 39
Globigerina, 377
Gmelina elliptica, 101
palawensis, 101
Gorgonacea, 67
Griffithsia argus, 56
metcalfei, 56
tenuis, 56
Gymnosporia palauica, 98
Thompsonii, 98
Halicyclops japonicus, 468, 472, 473
thermophilus, 473
Halicystis pyriformis, 27
Halimeda cuneata var. *digitata*, 41
fragilis, 41
gracilis, 42
incrassata f. *pusilla*, 41
 var. *monilis*, 41
monile, 41
opuntia, 41
stuposa, 41
taenicola, 42
Haliseris repens, 44

- HALSTEAD, BRUCE W. AND DONALD W. SCHALL:
Poisonous Fishes from Cocos Island, 103-109
- Harpurina nubilus*, 179
- Harpurus fasciatus*, 173
 gnophodes, 180
 guttatus, 184
 lineatus, 193
 paroticus, 203
- Hemicorallium*, 70
- Hepatus achilles*, 201
 aliala, 199
 aquilinus, 216, 218
 aterrimus, 201
 atrimentatus, 187
 babianus, 225
 barriene, 206, 214, 216, 219
 bleekeri, 180
 caeruleus, 222
 celebicus, 197
 chrysosoma, 203
 crestonis, 216
 dorensis, 226
 dussumieri, 214
 elegans, 161
 elongatus, 187, 190, 216, 218
 fuliginosus, 187, 190, 216
 glaucopareius, 199
 grammoptilus, 214
 guntheri, 216
 guttatus, 184
 hepatus, 224
 leucopareius, 161, 185, 187
 leucosternon, 197
 lineatus, 193
 lineolatus, 187, 190
 lucillae, 191
 maculiceps, 207
 mata, 219
 matoides, 216
 mindorensis, 183
 nigricans, 207, 209
 nigrofusus, 207, 210-213, 216
 nubilus, 179
 olivaceus, 203
 pawnee, 222
 philippinus, 182
 pyroferus, 197, 206
 sandvicensis, 174
 sobal, 205
 thompsoni, 182
 triostegus, 174
 troughtoni, 174
 umbra, 185
 weberi, 180
 xanthopterus, 216
- Heritiera littoralis*, 99
 longipetiolata, 99
- Herposiphonia secunda*, 58
 tenella, 59
- Heteroderma lejolisii*, 48
 minutula, 47
 subtilissima, 48
- Heterosiphonia wurdemannii*, 57
 wurdemannii var. *laxa*, 57
- Hildenbrandia prototypus*, 47
- Hincksina onychocelloides*, 114, 117
- Hippotheca divaricata*, 114, 123-125
 expansa, 114, 123-125
 hyalina, 114, 123
- Horsfieldia amklaal*, 97
 nunu, 97
 palauensis, 97
- Hutchinsia secunda*, 58
 tenella, 59
- Hymenophyllum polyanthum*, 269, 270
- Hypnea esperi*, 51
 nidulans, 51
 pannosa, 51
- Hypobleennius brevipinnis*, 243
 sordidus, 243
- IKEHARA, ISAAC I. AND JOSEPH E. KING:
Unusual Fishes, 17-24
- Isistius brasiliensis*, 18-20
- Istiblennius*, 242, 253
 coronatus, 253
 edentulus, 253, 263
 gibbifrons, 244, 253-255, 263, 264
 lineatus, 243, 253
 marmoratus, 251
 paulus, 253
 zebra, 242, 244, 253, 263, 264
- ITO, TAKASHI:
Three New Copepods from Japan, 468-473
- Ixora confertiflora*, 101
 pulcherrima, 101
 pulcherrima var. *lanceolata*, 101
 triantha, 101
- JAMESON, E. W., JR. AND K. SAKAGUTI:
Two New Fleas from Japan, 310-313
- Janina antennina*, 49
 capillacea, 49
 decussato-dichotoma, 49
 micrarthrodia, 49
 rubens, 50
 tenella, 49
 tenuissima, 49
- Keroeides*, 89
 fallax, 89, 90, 92-94
 gracilis, 92
 koreni, 89, 92, 93
 mosaica, 89, 91
 pallida, 89, 91, 92, 94
- KING, JOSEPH E. AND ISAAC I. IKEHARA:
Unusual Fishes, 17-24
- Laportea kusaiana*, 97
 saipanensis, 97
- Laurencia*, 49
 mariannensis, 60
- Leoblennius schultzi*, 246
- Lepidion capensis*, 409
 ensiferus, 408
 eques, 408, 409
 guentheri, 409
 inosimae, 408
 lepidion, 408, 409
 microcephalus, 407, 408
 modestus, 409
 natalensis, 408, 409
 oidema, 409
 schmidti, 408

- Liagora brachyclada*, 426
maxima, 423-427, 430
Papenfussii, 423, 426, 428-430
pinnata, 426
tetrasporifera, 426
viscida, 426, 430
Lindsaea decomposita, 269
propinqua, 268, 269
trapeziformis, 268
Lithoporella, 57
pacifica, 49
Littorina planaxis, 415
Lomentaria bakodotensis, 52
sinensis, 52
Lophosiphonia bermudensis, 59
villum, 59
Lophotes fiski, 21
Loranthus caudatifolius, 97
ponapensis, 97
Lutjanus aratus, 108
viridis, 108
Macaranga carolinensis, 98
Thompsonii, 98
Madrepora rubra, 73
Maesa carolinensis, 100
palauensis, 100
Malihopsis annulifera, 271-274, 278-280
jordani, 271-278
kobayashii, 271, 280
lutea, 271-274, 280-282
mitrigeria, 271-276
ocellata, 278
riarella, 271-274, 282, 283
triangularis, 274
Martensia fragilis, 56
 MATTHEWS, DONALD C.:
 Probable method of fertilization in terrestrial hermit crabs, 303-309
 MAWATARI, SHIZUO:
 Bryozoa from the Kuriles, 113-135
Medinilla Blumeana, 100
diversifolia, 100
Melobesia subtilissima, 48
farinosa, 49
pacifica, 49
Melosira, 378
granulata, 378, 381
moniliformis, 381
Membranipora serrilamella, 114-116
serrulata, 114, 115
Membrendoecium japonicum, 118
Microdictyon, 49
okamurai, 32
psendobapteron, 32
setchellianum, 32
velleyanum, 32
Microporina articulata, 114, 120
 MILLER, CAREY D., et al.:
 Use of Pandanus As Food, 3-16
 MITANI, FUMIO AND AKIRA OCHIAI:
 Revision of Fishes of the Genus *Malihopsis* of Japan, 271-285
Morinda citrifolia, 102
glandulosa, 101
latibracteata, 101
pedunculata, 101
volubilis, 101
 MORRIS, ROBERT W.:
 Clasping mechanism of the fish *Oligocottus snyderi*, 314-317
Mucronella peachii, 114, 130-132
Mugil cephalus, 470
 MURAI, MARY, et al.:
 Use of Pandanus As Food, 3-16
Muriceides alba, 86
Muricella tenera, 90
Myoporum, 137
sandwicense, 138
Myriozeolla planum, 114, 135
Myriozeum subgracile, 114, 132, 134
Navicula, 381
Nematoscelis difficilis, 445-447
megalops, 431, 445-447, 464
Neoclinus, 242
Neomeris annulata, 42
bilimbata, 42
mucosa, 42
vanbosseae, 42
Neomysis intermedia, 470
Neothunnus macropterus, 261
Nephrolepis exalta, 269
birsutula, 269
 New Gadiform Fish from the Continental Slope off Southeastern Australia, 407-409
 New Subfamily of Urotylidae from Borneo, 410-414
Nitzschia panduriformis, 381
 Notes on Ecology, Systematics, and Development of Some Mysidacea and Euphausiacea (Crustacea) from New Zealand, 431-467
 Notes on the Blennoid Fishes of Hawaii with Descriptions of Two New Species, 241-267
Nummulites, 377
Nyctiphanes australis, 431, 432, 444, 453-464
 Observations on Two Species of *Liagora*, 423-430
 OCHIAI, AKIRA AND FUMIO MITANI:
 Revision of Fishes of the Genus *Malihopsis* of Japan, 271-285
 OKADA, Y. AND K. SUZUKI:
 Taxonomic considerations of the lantern fish *Polypnus spinosus*, 296-302
Oligocottus snyderi, 314-317
Omobranchius elongatus, 245, 254, 257-260, 263
fasciolatus, 257
kallosoma, 257
Ophioblennius capillus, 250, 251
vanderbilti, 250
 OTSU, TAMIO AND RICHARD N. UCHIDA:
 Tagged Bigeye Tuna Recovered, 236
 Pacific Ferns Described in Nightingale's *Oceanic Sketches*, 268-270
Padina commersonii, 44
Pandanus
 as food, 3-16
aimirikiensis, 96
dubius, 96
duriocarpus, 96
kafu, 96
Kanebirae, 96
macrojeanneretia, 96
patina, 96
pulposus, 7
sinensis, 96

- Paracyclopina nana*, 473
Paragorgia, 68
 arborea, 69, 70
 dendroides, 69
 granulosa, 70
 nodosa, 70
 tenuis, 70
Paramuricea aequatorialis, 92
Parasmittina trispinosa, 114, 130, 131
Parathunnus sibi, 236
Parinarium glaberrimum, 97
 palauense, 97
 PEN, FLORENCE, *et al.*:
 Use of *Pandanus* As Food, 3-16
Pentapthalangium carolinense, 99
 Volkenisii, 99
Petaurista leucogenys oreas, 311
Petraliella armata, 123
 sp., 114, 123, 126
Petroscirtes ater, 256
 elongatus, 257
Peyssonelia conchicola, 47
 dubyi, 47
 rubra var. *orientalis*, 47
Phaleria Cumingii, 99
Pinnularia dactylis, 381
Pisonia grandis, 97
 umbellifera, 97
Pittosporum kusaiense, 97
 ponapense, 97
Pleonosporium saccorbiza, 56
Pleurocorallium, 70
 secundum, 80
Pleurocoralloides, 70
Pleurosigma normani, 381
Pocockiella papenfussii, 44
 variegata, 44
Polyipnus spinosus, 296-300
 stereo, 296-300
 trigentifer, 296-299
Polyscias grandifolia, 100
 subcapitata, 100
Polysiphonia calodictyon, 58
 coacta, 57
 billebrandii, 45
 subtillissima, 58
 tongatensis, 57
 villum, 59
Porella acutirostris, 114, 128, 129
 concinna, 114, 128-130
 immersa, 114, 127-129
 kurilensis, 114, 128-130
 marukawai, 114, 129
 mucronata, 114, 127-129
Premna angustiflora, 101
 gaudichaudii, 101
 Probable Method of Fertilization in Terrestrial
 Hermit Crabs Based on a Comparative Study of
 Spermatophores, 303-309
Pseudochlorodesmis furcellata, 39
Pseudodiaptomus inopinus, 470
Psychotria arbuscula, 102
 mariana, 102
 Merrillii, 102
 rhombocarpa, 102
 rotensis, 102
Ralfsia expansa, 43
 RANDALL, JOHN E.:
 Revision of Genus *Acanthurus*, 159-235
 Rapanea carolinensis, 100
 palauensis, 100
 Rauwolfia insularis, 101
 laxiflora, 101
 Report on the Poisonous Fishes Captured During
 the Woodrow G. Krieger Expedition to Cocos
 Island, 103-109
 Retepora tumescens, 131
 Revision of the Pediculate Fishes of the Genus
 Malthopsis Found in the Waters of Japan (Family
 Ogcocephalidae), 271-285
 Revision of the Surgeon Fish Genus *Acanthurus*,
 159-235
 Rhadinopsylla attenuata, 310
 fraterna, 310
 japonica, 310, 311
 pentacanthus, 312
 Rhiphidiphyllon reticulatum, 32
 Rhipidosiphon javensis, 40
 Rhipilia diaphana, 40
 micronesica, 40
 orientalis, 40
 tenaculosa, 40
 tomentosa, 40
 Rhizoclonium samoense, 33
 tortuosum, 33
 Rhizophora apiculata, 99
 mucronata, 99
 Rhizosolenia, 378
 Rhodymenia anastomosans, 52
 Rhomboides bleekeri, 180
 celebicus, 197
 doreensis, 226
 Dussumieri, 214
 gabhm, 207
 glaucopareius, 199
 guttatus, 184
 Lamarrii, 214
 leucosternon, 198
 lineatus, 193
 lineolatus, 187
 matoides, 215
 nummifer, 206
 olivaceus, 203
 pentazona, 173
 polyzona, 179
 tristegus, 173
 xanthosoma, 203
 Rochera calodictyon, 58
 Runula, 242, 262
 albolinea, 262
 azalea, 259
 ewaensis, 245, 259, 263, 264
 goslinei, 245, 260-264
 rhinorhynchus, 259, 263, 264
 ringens, 260, 262
 tapeinosoma, 260, 262-264
 Rupiscartes gibbifrons, 254
 marmoratus, 251
 striatus, 251
 variolosus, 250
 Saileriola sandakanensis, 412-413
 SAKAGUTI, K. AND E. W. JAMESON, JR.:
 Two New Fleas from Japan, 310-313
 Salarias alboapicalis, 247
 brevis, 246
 cypho, 253
 edentulus, 253

- gibbifrons*, 254
leopardus, 246
marmoratus, 251
meleagris, 251
mulleri, 253
periophthalmus, 254
rutilus, 254, 255
saltans, 254, 255
variolosus, 250
zebra, 253
Seculiflustra seculifrons, 114, 116, 117
Semecarpus Kraemeri, 98
venenosa, 98
Serianthes grandiflora, 97
Nelsonii, 97
Scarichthys auritus, 243
Scartichthys zebra, 253
Schefflera odorata, 100
pachyclada, 100
Schizoporella bidenkapi, 114, 125-127
sinuosa, 124
Schizoretepora tumescens, 114, 131, 133
Scrupocellaria scabra, 114, 121
Scymnus sp., 20
Sideroxylon glomeratum, 100
micronesicum, 100
Siniopelta costazii, 114, 132
incrassata, 114, 132, 134
Sinocalanus tenellus, 470
Siphonocladus rigidus, 31, 48
 SLATER, J. A. AND W. E. CHINA:
 New Subfamily of Urostylidae from Borneo, 410-414
Smittina bella, 114, 130-132
 Some Marine Algae of the Southern Marshall Islands, 25-66
 Some Unusual Fishes From the Central Pacific, 17-24
Sophora, 136
alopescuroides, 137
chrysophylla, 136 ff
denudata, 137
genistoides, 137
grisea, 136 ff
heptaphylla, 137
interrupta, 137
japonica, 136
lupinoides, 137
macrocarpa, 137
microphylla, 137
mollis, 137
tetraptera, 136
tinctoris, 137
tomentosa, 136, 137
unifoliata, 136 ff
Sphacelaria fucigera, 44
tribuloides, 44
Sphaerococcus intricatus, 46
Spermothamnion saccorbiza, 56
Spyridia filamentosa, 56
Squalus fulgens, 20
Stenischia fujisania, 312, 313
mirabilis, 312, 313
 ST. JOHN, HAROLD:
 Translation of Keys in Kanehira's *Flora Micronesica*, 96-102
Stomachetosella sinuosa, 114, 123, 126
 STRASBURG, DONALD W.:
 Notes on blennoid fishes of Hawaii with two new species, 241-267
Struvea anastomosans, 30
 SUZUKI, K. AND Y. OKADA:
 Taxonomic considerations of the lantern fish *Polyipnus spinosus*, 296-302
Synalpheus anceps, 334-337
biunguiculatus, 333, 334
biunguiculatus var. *exilipes*, 333
charon, 329, 331
charon obscurus, 329-331
coutierei, 333
coutierei exilipes, 333, 334
paraneomeris, 331-334
pescadorensis, 337
tanneri, 337
Synedra, 378
tenera, 381
 Tagged Bigeye Tuna Recovered, 236
Tarenna glabra, 102
sambucina, 102
 Taxonomic Considerations of the Lantern Fish *Polyipnus spinosus* Gunther and Related Species, 296-302
 Taxonomic Revision of the Hawaiian Species of the Genus *Sophora* Linnaeus (Family Leguminosae), 136-158
Tegella armifera, 114, 119, 120
robertsonae, 120
unicornis, 114, 119, 120
Tenagomysis macropsis, 431, 434-440, 464
tenuipes, 431, 434-440, 464
Terminalia carolinensis, 99
Catappa, 99
Terminoflustra membranacea — *truncata*, 114, 117
Teuthis achilles, 201
aliala, 199
argenteus, 216
aterrimus, 201
atrimentatus, 187
australis, 173
bahianus, 225
bipunctatus, 190
bishopi, 185, 186
bleekeri, 180
caeruleus, 222
coeruleus, 222, 225
crestonis, 216
dussumieri, 214
elegans, 173
elongatus, 161, 190
fuliginosus, 184, 216
glaucopareius, 199
grammoptilus, 214
güntheri, 216
guttatus, 184
belioides, 222
hepatus, 224
japonicus, 199
leucopareius, 185
lineatus, 193
lineolatus, 187
lucillae, 191
mata, 180, 216, 219
munroviae, 220
nigrofuscus, 216
olivaceus, 203
sandvicensis, 173

- spinifrons*, 161
striatus, 187
thompsoni, 182
tractus, 225
tristegus, 173
umbra, 185, 186
xanthopterus, 216
Thelypteris leucolepis, 270
 Three New Copepods from Brackish-Water Lakes of Japan, 468-473
Thunor, 365
idiocheles, 366-368
rathbuni, 365-367
 species, 367
Thysanoessa gregaria, 431, 432, 444, 445, 447, 461-464
Timonius albus, 102
 corymbosus, 102
 korrense, 102
 Ledermannii, 102
 mollis, 102
 ponapensis, 102
 subauritus, 102
 TOKIOKA, TAKASI:
 Fritillaria arafaera n. sp., a Form of the Sibling Species *F. haplostoma*—Complex, 403-406
Tolypiocladia calodictyon, 58
Trachyneis aspera, 381
Trachypterus iris, 22
 woodi, 22
 Translation of the Keys in the *Flora Micronesica* (1933) of Ryozo Kanehira, 96-102
Tricellaria erecta, 114, 119, 120
 ternata, 114, 120
 unioi, 114, 121
Trichomanes glaucofuscum, 269, 270
 pallidum, 270
 polyanthum, 270
Trichospermum Ikutai, 98
 Ledermannii, 99
Tripterygion, 262
 atriceps, 243, 245, 263, 264
 hemimelas, 245, 263, 264
 nasus, 245
Turbinaria ornata, 44
 trialata, 44
 vulgaris var. *trialata*, 44
 Two New Fleas (Siphonaptera: Rhadinopsyllinae) from Japan, 310-313
Tydemannia expeditionis, 41
 UCHIDA, RICHARD N. AND TAMIO OTSU:
 Tagged Bigeye Tuna Recovered, 236
Udotea indica, 40
 javensis, 40
 palmetta, 40
Ulva cavernosa, 29
 compressa, 27
Umbonula arctica, 114, 124
 Use of Pandanus Fruit As Food in Micronesia, 3-16
Valonia, 57
 aegagropila, 28, 55
 utricularis, 28
 ventricosa, 28
Vaucheria marina, 34
Verrucella bicolor, 88
Vitex cofassus, 101
 glabrata, 101
 trifolia, 101
Watersia kishikaensis, 114, 121, 122
Wikstroemia elliptica, 99
 WOOD, E. J. FERGUSON:
 Diatoms in Ocean Deep, 377-381
Wrangelia argus, 56
Wurdemannia miniata, 47
 ZIMMERMAN, E. C.:
 Catalogue of genus *Elytrurus* (Coleoptera: Curculionidae) and a new species from Niue, 286-295