

Spider Fauna of India: Catalogue and Bibliography

BY

B. K. TIKADER

Zoological Survey of India, 8, Lindsay Street, Calcutta-16

[Continued from Vol. 68 (3) : 618]

Family THERAPHOSIDAE

Genus *CHILOBRACHYS* Karsch 1892

262. *Chilobrachys femoralis* Pocock 1900. FAUNA BRIT. INDIA *Arachnida*, p. 195.

Distribution : India : Nasik (Maharashtra).

Type : BMNH.

263. *Chilobrachys fimbriatus* Pocock 1899. *J. Bombay nat. Hist. Soc.* 12 : 746.

Distribution : India : Khandala, Satara, (Maharashtra).

Type : BMNH.

264. *Chilobrachys fumosus* Pocock 1895. *Ann. Mag. Nat. Hist.* 15 : 174.

Distribution : India : Northern India.

Type : BMNH.

265. *Chilobrachys hardwickii* Pocock 1895. *Ann. Mag. Nat. Hist.* 15 : 174.

Distribution : India : Bilaspur, Chota Nagpur, Burdwan (West Bengal).

Type : BMNH.

266. *Chilobrachys masoni* Pocock 1895. *Ann. Mag. Nat. Hist.* 15 : 174.

Distribution : India : Assam.

Type : BMNH.

267. **Chilobrachys stridulans** Wood-Mason 1875. *P.A.S.B.*, p. 197.
Distribution : India : Sibsagar (Assam).

Type : ?

268. **Chilobrachys thorellii** Pocock 1900. FAUNA BRIT. INDIA *Arachnida*, p. 199.

Distribution : India : Sadiya (Assam).

Type : BMNH.

Genus *HAPLOCLASTUS* Simon 1892

269. **Haploclastus cervinus** Simon 1892. *Hist. Nat. Araign. Paris* 1 : 152.

Distribution : India : Palni Hills.

Type : MNHN.

270. **Haploclastus nilgirinus** Pocock 1889. *J. Bombay nat. Hist. Soc.* 12 : 747.

Distribution : India : Nilgiri Hills.

Type : BMNH.

Genus *HETEROPHRICTUS* Pocock 1900

271. **Heterophrictus milleti** Pocock 1900. FAUNA BRIT. INDIA *Arachnida*, p. 180.

Distribution : India : Nasik, Poona, Satara (Maharashtra).

Type : BMNH.

Genus *ISCHNOCOLUS* Ausserer 1871

272. **Ischnocolus linteatus** Simon 1891. *Ann. Soc. Ent. France* 60 : 308.

Distribution : India : Pondicherry, Madras.

Type : MNHN.

Genus *LYROGNATHUS* Pocock 1895

273. **Lyrognathus crotalus** Pocock 1895. *Ann. Mag. Nat. Hist.* 15 : 175.

Distribution : India : North India.

Type : BMNH.

274. *Lyrognathus pugnax* Pocock 1900. FAUNA BRIT. INDIA *Arachnida*, p. 203.

Distribution : India : Shillong (Assam).

Type : BMNH.

275. *Lyrognathus saltator* Pocock 1900. FAUNA BRIT. INDIA *Arachnida*, p. 203.

Distribution : North Khasi Hills (Assam).

Type : BMNH.

Genus *PHLOGIELLUS* Pocock 1897

276. *Phlogiellus subarmatus* Thorell 1891. Sv. Vet.-Akad. Handl. 24 (2) : 13.

Distribution : India : Nicobar Islands.

Type : BMNH.

Genus *PHLOGIODES* Pocock 1899

277. *Phlogiodes robustus* Pocock 1899. J. Bombay nat. Hist. Soc. 12 : 748.

Distribution : India : Matheran, Bombay (Maharashtra).

Type : BMNH.

278. *Phlogiodes validus* Pocock 1899. J. Bombay nat. Hist. Soc. 12 : 748.

Distribution : India : Matheran, Bombay (Maharashtra).

Type : BMNH.

Genus *Plesiophrictus* Pocock 1899

279. *Plesiophrictus collinus* Pocock 1899. J. Bombay nat. Hist. Soc. 12 : 749.

Distribution : India : Shevaroy Hills (Tamil Nadu).

Type : BMNH.

280. *Plesiophrictus fabrei* Simon 1892. Ann. Soc. Ent. France 61 : 278.

Distribution : India : S. India.

Type : MNHN.

281. **Plesiophrictus millardi** Pocock 1899. *J. Bombay nat. Hist. Soc.* 12 : 749.

Distribution : India : Matheran, Bombay (Maharashtra).

Type : BMNH.

282. **Plesiophrictus sericeus** Pocock 1900. FAUNA BRIT. INDIA *Arachnida*, p. 182.

Distribution : India : Poona (Maharashtra).

Type : BMNH.

Genus **POECILOTHERIA** Simon 1885

283. **Poecilotheria fasciata** Latreille 1803. *Nouv. Dict. d'Hist. Nat.* 15 : 304.

Distribution : India : Madura, Madras : Ceylon.

Type : ?

284. **Poecilotheria formosa** Pocock 1899. *Ann. Mag. Nat. Hist.* 3 (7) : 91.

Distribution : India : Kadiampatti, Mallapuram, S. India.

Type : BMNH.

285. **Poecilotheria metallica** Pocock 1899. *Ann. Mag. Nat. Hist.* 3 (7) : 93.

Distribution : India : Ootacamund (Tamil Nadu).

Type : BMNH.

286. **Poecilotheria miranda** Pocock 1900. FAUNA BRIT. INDIA *Arachnida*, p. 190.

Distribution : India : West Bengal, Chota Nagpur.

Type : BMNH.

287. **Poecilotheria regalis** Pocock 1895. *Ann. Mag. Nat. Hist.* 3 (7) : 89.

Distribution : India : Western India, Matheran, Thana, Bombay (Maharashtra) ; Nilgiri Hills ; Coorg (Mysore).

Type : BMNH.

288. **Poecilotheria rufilata** Pocock 1899. *J. Bombay nat. Hist. Soc.* 12 : 746.

Distribution : India : Trivandrum (Kerala).

Type : BMNH.

289. **Poecilotheria striata** Pocock 1895. *Ann. Mag. Nat. Hist.* **15** (6) : 172.

Distribution : India : Mysore ; Trivandrum (Kerala).

Type : BMNH.

290. **Poecilotheria vittata** Pocock 1895. *Ann. Mag. Nat. Hist.* **15** (6) : 172.

Distribution : India or Ceylon (exact place unknown).

Type : BMNH.

Genus **SELENOCOSMIA** Ausserer 1871

291. **Selenocosmia himalayana** Pocock 1899. *J. Bombay nat. Hist. Soc.* **12** : 746.

Distribution : India : Dehra Dun (U.P.)

Type : BMNH.

292. **Selenocosmia javanensis** Walckenaer 1837. *Ins. Apt.* **1** : 216.

Distribution : India : Nicobar Islands.

Type : ?

Genus **THRIGMOPOEUS** Pocock 1899

293. **Thrigmopoeus insignis** Pocock 1899. *J. Bombay nat. Hist. Soc.* **12** : 747.

Distribution : India : Kanara Ghats (Mysore).

Type : BMNH.

294. **Thrigmopoeus truculentus** Pocock 1899. *J. Bombay nat. Hist. Soc.* **12** : 748.

Distribution : India : Karwar (Mysore).

Type : BMNH.

Family THERIDIDAE

Genus **THERIDION** Walckenaer 1805

295. **Theridion rufipes** Lucas 1846. *Explor. Sci. Algeria Arachn.* **1** : 263, tab. 16, fig. 5.

Distribution : India : Siju Cave, Garo Hills (Assam).

Type : ?

Genus *ARGYRODES* Simon

296. *Argyroides cyrtophore* Tikader 1963. *Proc. Indian Acad. Sci.* 57 : 99, fig. 1a-c.

Distribution : India : Poona (Maharashtra).

Type : ZSI.

297. *Argyroides dipali* Tikader 1963. *Proc. Indian Acad. Sci.* 57 : 103, fig. 4a-c.

Distribution : India : Mundhva, near Poona City (Maharashtra).

Type : ZSI.

298. *Argyroides gouri* Tikader 1963. *Proc. Indian Acad. Sci.* 57 : 102, fig. 3a-c.

Distribution : India : Mundhva, near Poona City (Maharashtra).

Type : ZSI.

299. *Argyroides jamkhedes* Tikader 1963. *Proc. Indian Acad. Sci.* 57 : 101, fig. 2a-c.

Distribution : India : Sarola village, Jamkhed Taluka, Dist. Ahmednagar (Maharashtra).

Type : ZSI.

Genus *LATHRODECTUS* Walckenaer 1805

300. *Lathrodectus hasseltii* Thorell 1870. *Oefv. K. Sv. Vet.-Akad. Forh.* 27 : 369.

Distribution : India : Poona, Bombay (Maharashtra) : Karachi (Pakistan).

Type : BMNH.

301. *Lathrodectus hasseltii indicus* Simon 1897. *Bull. Mus. Hist. Nat.*, p. 97.

Distribution : India : Poona, Bombay (Maharashtra).

Type : MNHN.

Family THOMISIDAE

Genus *AMYCIAEA* Simon 1885

302. *Amyciaea forticeps* (Cambridge) 1873.

Amycle forticeps Cambridge 1873. *Proc. Zool. Soc. London* : 122

Distribution : India : Poona (Maharashtra) ; Burma ; Malaysia.

Type : BMNH.

Genus *ANGAEUS* Thorell 1881

303. *Angaeus pantagonalis* Pocock 1901. *J. Bombay nat. Hist. Soc.* 13 : 497.

Distribution : India : Nilgiri Hills (S. India).

Type : BMNH.

Genus *APOLLOPHANES* Cambridge 1898

304. *Apollophanes bengalores* Tikader 1963. *Proc. Indian Acad. Sci.* 58 : 260, fig. 10.

Distribution : India : Bangalore (Mysore).

Type : ZSI.

Genus *BOMIS* Koch 1873

305. *Bomis bengalensis* Tikader 1962. *J. Linn. Soc. London* 44 : 580, fig. 11a-b.

Distribution : India : West Bengal.

Type : ZSI.

Genus *DIAEA* Thorell 1869

306. *Diaea jaintious* Tikader 1966. *Proc. Indian Acad. Sci.* 64 : 59.

Distribution : India : Shillong, Cherapunjee (Assam).

Type : ZSI.

Genus *EBO* Keyserling 1884

307. *Ebo bharatae* Tikader 1965. *Proc. Indian Acad. Sci.* 61 : 278, fig. 2a-e.

Distribution : India : Poona (Maharashtra).

Type : ZSI.

Genus *MISUMENA* Latreille 1804

308. *Misumena greenae* Tikader 1965. *Proc. Indian Acad. Sci.* 61 : 281, fig. 5a-c.

Distribution : India : Poona (Maharashtra).

Type : ZSI.

309. *Misumena horai* Tikader 1962. *J. Linn. Soc. London* 44 : 573, fig. 5a-e.

Distribution : India : Shillong (Assam).

Type : ZSI.

310. **Misumena menoka** Tikader 1963. *Proc. Indian Acad. Sci.* **58** : 254, fig. 5a, b.

Distribution : India : Mysore and Maharashtra.

Type : ZSI.

311. **Misumena mridulai** Tikader 1962. *J. Linn. Soc. London* **44** : 57, fig. 6.

Distribution : India : Shillong (Assam).

Type : ZSI.

312. **Misumena silveryi** Tikader 1965. *Proc. Indian Acad. Sci.* **61** : 282, fig. 6 a, b.

Distribution : India : Poona (Maharashtra).

Type : ZSI.

Genus **MISUMENOIDES** Cambridge 1900

313. **Misumenoides deccanes** Tikader 1965. *Proc. Indian Acad. Sci.* **61** : 279, fig. 3 a, b.

Distribution : India : Poona (Maharashtra).

Type : ZSI.

314. **Misumenoides kripalaniae** Tikader 1963. *Proc. Indian Acad. Sci.* **58** : 258, fig. 8 a, b.

Distribution : India : Chikmagalur (Mysore).

Type : ZSI.

315. **Misumenoides shulli** Tikader 1965. *Proc. Indian Acad. Sci.* **61** : 280, fig. 4 a, b.

Distribution : India : Mussoorie (U.P.).

Type : ZSI.

Genus **MISUMENOPS** Cambridge 1900

316. **Misumenops khandalaensis** Tikader 1965. *Proc. Indian Acad. Sci.* **61** : 287, fig. 11a-c.

Distribution : India : Khandala Ghat (Maharashtra).

Type : ZSI.

Genus **MONAESES** Thorell 1870

317. **Monaeses parvati** Tikader 1963. *Proc. Indian Acad. Sci.* **58** : 249, fig. 1a-c.

Distribution : India : Poona (Maharashtra).

Type : ZSI.

Genus *OXYPTILA* Simon 1864

318. *Oxyptila khasi* Tikader 1960. *Proc. Zool. Soc., Calcutta* **13** : 116, fig. 2a-c.

Distribution : India : Shillong (Assam).

Type : ZSI.

319. *Oxyptila manii* Tikader 1960. *Proc. Zool. Soc., Calcutta* **13** : 115, fig. 1a-d.

Distribution : India : West Bengal.

Type : ZSI.

320. *Oxyptila maratha* (Tikader) 1964.

Oxyptila gertschi Tikader 1964. *Sci. and Cult.* **30** : 152, Fig. 1 a-c.

Distribution : India : Poona (Maharashtra).

Type : ZSI.

321. *Oxyptila reena* Basu 1964. *Sci. and Cult.* **30** : 154.

Distribution : India : West Bengal.

Type : ZSI.

Genus *PASIAS* Simon 1895

322. *Pasias maratha* Tikader 1965. *Proc. Indian Acad. Sci.* **61** : 286, fig. 10 a, b.

Distribution : India : Poona (Maharashtra).

Type : ZSI.

323. *Pasias puspagiri* Tikader 1963. *Proc. Indian Acad. Sci.* **58** : 253, fig. 4.

Distribution : India : Hassan (Mysore).

Type : ZSI.

Genus *PHILODROMUS* Walckenaer 1825

324. *Philodromus assamensis* Tikader 1962. *J. Linn. Soc. London* **44** : 581, fig. 12 a-c.

Distribution : India : Shillong (Assam).

Type : ZSI.

325. *Philodromus betrabatai* Tikader 1966. *Proc. Linn. Soc. London* **177** : 35, fig. 1 a, b.

Distribution : India : Poona (Maharashtra).

Type : ZSI.

326. *Philodromus bhagirathai* Tikader 1966. *Proc. Linn. Soc. London* 177 : 36, fig. 2 a, b.

Distribution : India : Allahabad (U.P.) ; Madras.

Type : ZSI.

327. *Philodromus decoratus* Tikader 1962. *J. Linn. Soc. London* 44 : 582, fig. 13.

Distribution : India : Shillong (Assam).

Type : ZSI.

328. *Philodromus devhulai* Tikader 1966. *Proc. Linn. Soc. London* 177 : 42, fig. 6 a, b.

Distribution : India : Poona (Maharashtra).

Type : ZSI.

329. *Philodromus domesticus* Tikader 1962. *Proc. Zool. Soc., Calcutta* 15 : 39, fig. 1 a, b.

Distribution : India : Shillong (Assam).

Type : ZSI.

330. *Philodromus kendrabati* Tikader 1966. *Proc. Linn. Soc. London* 177 : 58, fig. 3 a, b.

Distribution : India : Poona (Maharashtra).

Type : ZSI.

331. *Philodromus maliniae* Tikader 1966. *Proc. Linn. Soc. London* 177 : 39, fig. 4 a, b.

Distribution : India : Poona (Maharashtra).

Type : ZSI.

332. *Philodromus mohiniae* Tikader 1966. *Proc. Linn. Soc. London* 177 : 40, fig. 5 a, b.

Distribution : India : Poona (Maharashtra).

Type : ZSI.

333. *Philodromus shillongensis* Tikader 1962. *Proc. Zool. Soc., Calcutta* 15 : 40, fig. 2 a, b.

Distribution : India : Shillong (Assam).

Type : ZSI.

Genus *PISTIUS* Simon 1875

334. *Pistius barchensis* Basu 1965. *Proc. Zool. Soc., Calcutta* 18 : 74.
Distribution : India : Dehra Dun (U.P.).
Type : ZSI.
335. *Pistius bhadurii* Basu 1965. *Proc. Zool. Soc., Calcutta* 18 : 71.
Distribution : India : Saharanpur Dist. (U.P.).
Type : ZSI.
336. *Pistius gangulyi* Basu 1965. *Proc. Zool. Soc., Calcutta* 18 : 73.
Distribution : India : Dehra Dun (U.P.).
Type : ZSI.
337. *Pistius kanikae* Basu 1964. *J. Bengal nat. Hist. Soc.* 32 : 107.
Distribution : India : Lakshamanjhola (U.P.).
Type : ZSI.
338. *Pistius robusta* Basu 1965. *Proc. Zool. Soc., Calcutta* 18 : 75.
Distribution : India, Dehra Dun (U.P.).
Type : ZSI.
339. *Pistius roonwali* Basu 1964. *J. Bengal nat. Hist. Soc.* 32 : 104.
Distribution : India : Hardwar (U.P.).
Type : ZSI.
340. *Pistius sreeponchamii* Tikader 1962. *J. Linn. Soc. London* 44 : 871, fig. 4 a, b.
Distribution : India : Shillong (Assam).
Type : ZSI.

(to be continued)



Tikader, B. K. 1972. "Spider Fauna of India Catalog and Bibliography." *The journal of the Bombay Natural History Society* 69, 91–101.

View This Item Online: <https://www.biodiversitylibrary.org/item/187992>

Permalink: <https://www.biodiversitylibrary.org/partpdf/152178>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: In Copyright. Digitized with the permission of the rights holder

License: <http://creativecommons.org/licenses/by-nc/3.0/>

Rights: <https://www.biodiversitylibrary.org/permissions/>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.