A further record of the spider Microctenonyx subitaneus (Araneae: Linyphiidae: Erigoninae) in Australia

Karl E.C. Brennan

Department of Environmental Biology, Curtin University of Technology, GPO Box U1987, Perth, Western Australia, 6845, Australia

Linyphiids are tiny to medium spiders (1 to 8 mm in body length) that construct sheet webs. Members of the subfamily Erigoninae are smallest (1 to 4 mm). They construct tiny sheet webs under stones, in moss or depressions in the soil (Main 1976; Raven et al. 2002a). Despite comprising a large proportion the European fauna, linyphiids represent only a small proportion of described Australian taxa. The Australian fauna comprises 20 genera and 35 described species (Raven et al. 2002b). Five introduced species have been recorded; Diplocephalus cristatus (Blackwall), Eperigone fradeorum (Berland), Erigone prominens Bösenberg and Strand, Microctenonyx subitaneus (O.P. Cambridge), and Ostearius melanopygius (O.P. Cambridge) (Austin et al. 1991; Hirst and Nicolson 1995; Raven et al. 2002c).

Here *Microctenonyx subitaneus*, from the Erigoninae, is recorded as an additional genus and species present in Western Australia. This finding supports the previous South Australian record by Hirst and Nicolson (1995). Although *M. subitaneus* is endemic to the holartic (Platnick 2003), it is known from other regions including Africa and New Zealand (Millidge 1988; Scharff 1990). This widespread occurrence has led to many synonyms being created; seven junior synonyms are known (see Platnick 2003).

Specimen identification was by a match of the male palps to Figures 308 and 310 in Millidge (1988). A dorsal view of the carapace, with prominent sulci (pits) behind the posterior lateral eyes, also matched his Figure 309. Lateral view of the carapace, however, revealed a difference to his Figure 301. Rather than all eyes being located on the anterior surface of the carapace, the posterior median eyes were on the dorsal surface. It is unknown whether this represents an abnormal specimen, some plasticity in eye location, or mechanical damage to the specimen during collection.

Further collecting and/or searches of museum collections might reveal other Australian specimens of *M. subitaneus*. It is likely the specimen detailed here was from an established population rather than an immigrant intercepted at its point of entry.

The latter are found usually in urban areas, particularly shipping ports or areas where goods imported from abroad have been stored (e.g., Harvey 1996). This specimen was collected from a rehabilitated mine pit, surrounded by unmined jarrah (*Eucalyptus marginata*) forest, 45 km southeast of Perth. That said, the species appears difficult to collect at this locality. Of more than 25,000 spiders identified from Jarrahdale Mine, Western Australia, it is the only known specimen.

It is likely that other described linyphiids will be found in Australia. Raven *et al.* (2002c) suggest *Tenuiphantes cristatus* (Menge), may be present although not yet recorded.

MATERIAL EXAMINED

Australia: Western Australia: 1 male, Jarrahdale Mine 32°16'S 116°06'E, vacuum sampled from foliage, 8 year-old rehabilitated mine pit surrounded by jarrah forest, October 1997, K.E.C. Brennan (Western Australian Museum specimen number T54593).

ACKNOWLEDGEMENTS

Thanks to Mark Harvey and Julianne Waldock for confirming the identification plus Mark Harvey, Jonathan Majer and Melinda Moir for constructive criticism of the manuscript.

REFERENCES

Austin, A.D., De Barro, P. and Harvey, M.S. (1991). The first record of *Eperigone fradeorum* (Berland) (Linyphiidae) from Australia. *Australasian Arachnology* 43: 5.

Harvey, M.S. (1996). The first record of the Fiddle-back Spider Loxosceles rufescens (Araneae: Sicariidae) from Western Australia. Records of the Western Australian Museum 18: 223–224.

Hirst, D.B., and Nicolson, L.N. (1995). On new records of Linyphiidae from Australia. Australasian Arachnology 49: 3

Main, B.Y. (1976). Spiders. Collins, Sydney.

Millidge, A.F. (1988). The spiders of New Zealand: Part

- VI. Family Linyphiidae. Otago Museum Bulletin 6: 35–67
- Platnick, N.I. (2003). *The World Spider Catalog, Version 4.0.* http://research.amnh.org/entomology/spiders/catalog81-87/index.html
- Raven, R.J., Baehr, B.C. and Harvey, M.S. (2002a). Spiders of Australia: Interactive Identification to Subfamily. CSIRO Publishing, Melbourne.
- Raven, R.J., Lawless, P., Hoath, K., Harvey, M.S. and Hirst, D.B. (2002b). Checklist of Australian spiders. In: Raven, R.J., Baehr, B.C. and Harvey, M.S. Spiders of
- Australia: Interactive Identification to Subfamily. CSIRO Publishing, Melbourne.
- Raven, R.J., Harvey, M.S. and Hirst, D.B. (2002c). Introduced spiders of Australia. *In*: Raven, R.J., Baehr, B.C. and Harvey, M.S. *Spiders of Australia: Interactive Identification to Subfamily*. CSIRO Publishing, Melbourne.
- Scharff, N. (1990). A catalogue of African Linyphiidae (Araneae). Steenstrupia 16: 117–152.

Manuscript received 19 September 2003; accepted 11 December 2003



Brennan, Karl E. C. 2004. "A Further Record of the Spider Microctenonyx subitaneus (Araneae: Linyphiidae: Erigoninae) in Australia." *Records of the Western Australian Museum* 22(2), 163–164.

https://doi.org/10.18195/10.18195/issn.0312-3162.22(2).2004.163-16.

View This Item Online: https://doi.org/10.18195/10.18195/issn.0312-3162.22(2).2004.163-16

Permalink: https://www.biodiversitylibrary.org/partpdf/226873

Holding Institution

Western Australian Museum

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

License: http://creativecommons.org/licenses/by-nc-sa/4.0/

Rights: https://biodiversitylibrary.org/permissions

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.