



©Western Philippines University
ISSN: 1656-4707
E-ISSN: 2467-5903
Homepage: www.palawanscientist.org

A checklist of damselfishes (Pomacentridae) from Palawan, Philippines

Rochele L. Villanueva^{1,*}, Niño Jess Mar F. Mecha¹, Elmer G. Villanueva^{1,2}, Michael Angelo D. Maga-ao³ and Roger G. Dolorosa¹

¹College of Fisheries and Aquatic Sciences, Western Philippines University

²Irawan National High School, Puerto Princesa City

³College of Arts and Sciences, Western Philippines University

*Correspondence: villanueva.rochele@gmail.com

Received: 06 Sept. 2022 || Revised: 24 Oct. 2022 || Accepted: 21 Dec. 2022

How to cite:

Villanueva RL, Mecha NJMF, Villanueva EG, Maga-ao MAD and Dolorosa RG. 2023. A checklist of damselfishes (Pomacentridae) from Palawan, Philippines. The Palawan Scientist, 15(1): 8-23.

ABSTRACT

This study was conducted to generate information on the number of damselfish species in Palawan, the most common tropical reef-associated fishes in the world. Photos of reef-associated fishes taken in conjunction with other reef surveys in 10 localities between 2019 and 2021 were used and evaluated for the presence of damselfishes. A total of 4,038 photos of reef-associated fishes were compiled and analyzed. Only 60 species of damselfishes were identified wherein Puerco Island in the municipality of Roxas had the highest number (14 genera and 32 species) while Hartman's Beach in Puerto Princesa City had the lowest (3 genera and 8 species). Three of the identified damselfishes were potentially new records in Palawan: *Amblypomacentrus clarus* Allen & Adrim, 2000, *Dischistodus darwiniensis* (Whitley, 1928); and *Pomacentrus aurifrons* Allen, 2004. The current data make a total of 137 damselfish species already documented in Palawan. Continued photo-video documentation is encouraged to increase understanding on the species richness of damselfishes and other reef-associated fauna.

Keywords: biodiversity, marine fishes, marine water, species checklist, species richness

INTRODUCTION

Damselfishes (family Pomacentridae) are one of the most diverse and widespread family of marine fishes found throughout the tropical oceans (Bellwood and Wainwright 2002; Allen et al. 2003). According to Parenti (2021), there are 423 valid species of damselfishes in the world and only 202 species are found in tropical Pacific (Allen et al. 2003).

Although the majority of damselfishes were categorized as major fishes (English et al. 1997), they have varied ecological and economic importance such

promoting the abundance of preferred algae for the settlement of depleted corals through a variety of 'farming' activities (Jones et al. 2006), which also serve as refuge for juvenile benthic and demersal plankton (Lobel 1980). Chase et al. (2020) reported that coral colonies with damselfishes accumulated much less sediment up to 10-fold with higher chlorophyll and protein concentrations compared to colonies without fishes. Some damselfishes (*Abudefduf sexfasciatus*, *A. vaigensis*, *A. zonatus*, *Dischistodus perspillatus* and *Hemiglyphidodon plagiometapon*) are also consumed as food (Gonzales



This article is licensed under a [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/)

2013), while the colorful species are in high demand in the aquarium industry (Bruckner 2005; Muyot et al. 2019). The global aquarium fish trade consists of over 1,400 species of reef fishes that constitute over 50% of the global volume in which damselfish and anemonefish are included (Bruckner 2005).

The fish surveys and documentations of damselfishes resulted to the increasing number of species and expanding distribution range. For example, Allen and Wright (2003) reported a new species *Pomacentrus rodriguezensis* from Rodrigues Island, Indian Ocean in 2003. Pyle et al. (2008) described five new species (*Chromis abyssus*, *C. circumaurea*, *C. degruyi*, *C. brevirostris* and *C. earina*) of damselfish from deep coral reefs in the tropical Western Pacific in 2008. In the same year, Allen et al. (2008) also described a new species (*Amphiprion barberi*) of anemonefish fish, from coral reefs of Fiji, Tonga, and Samoa. The following year, two new pomacentrids (*Chromis albicauda* and *Chromis unipa*) from Indonesian seas were described by Allen and Erdmann (2009). In 2010, another species (*Amphiprion pacificus*) was discovered from Wallis Island and Tonga in the Western Pacific and in the reefs of Fiji and Samoa (Allen et al. 2010). In the Philippines, several species have also been described. For example, *Pomacentrus cheraphilus* was described based on 19 specimens collected at Brunei and northern Palawan, Philippines (Allen et al. 2011). A shallow inhabiting species (*Altrichthys alelia*) was also described from specimens collected off Busuanga Island, Palawan Province, Philippines (Bernardi et al. 2017), while Arango et al. (2019) described three new species of *Chromis* (*Chromis gunting*, *C. hangganan*, and *C. bowesi*) from mesophotic coral ecosystems of Batangas, Lubang, Puerto Galera, and Verde Island.

The expanded distribution range of a few damselfish species were also reported thus increasing the number of species listed for a particular locality. For example, *Pomacentrus caeruleopunctatus*, previously restricted to the Seychelles Islands, Madagascar, and Tanzania, to the Mascarene Archipelago has been recorded from Reunion Island (Boujorn et al. 2019). Four new records of damselfish species have also been reported for the first time in the reefs of Saint Martin's Island in the northern Bay of Bengal, Bangladesh (Islam and Habib 2020).

In the province of Palawan, Philippines, the information about damselfishes mostly form part of reef fish assessment studies (Gonzales 2013; Balisco and Dolorosa 2019), however, there is no information as to the total number of species found in the province. This study is the first to provide a list of damselfish species known to occur in the reefs of Palawan, Philippines.

METHODS

Study Sites and Photo-documentation

The day scuba diving activities were conducted in shallow reef areas (2-10 m deep) in the municipalities of El Nido, Taytay, Roxas, Narra, San Vicente, Araceli, and in Puerto Princesa City (PPC) between 2019 and 2021 (Figure 1; Table 1). Opportunistic photo-documentation of reef-associated fishes were carried out during fish visual census and in conjunction with other scuba diving activities such as in-situ induced spawning and restocking of giant clams. A total of 4,038 photos of reef-associated fishes were compiled and evaluated for the presence of damselfishes.




Figure 1. Map of Palawan showing the ten study sites.

Table 1. Number of dives, number of divers, and dive duration spent at each study site for the documentation of reef-associated fishes.

Date of Survey	Sites	Number of dives	Number of divers	Diving duration (h)	Total dive duration (h)
05 October 2020	Cadlao Island, El Nido	1	2	2	13
09 December 2020		1	3	3	
10 May 2019	Hart Reef, Araceli	1	2	2	4
10 April 2019	Black Rock, Taytay	1	2	2	12
11 May 2019		1	2	2	
12 May 2019		1	2	2	
30 November 2018	Puerco Island, Roxas	1	3	3	90
24 August 2019		2	3	6	
25 August 2019		2	3	6	
26 August 2019		1	3	3	
26 April 2019	Port Barton, San Vicente	2	3	6	72
27 April 2019		2	3	6	
25 September 2019	Binduyan, Puerto Princesa City	2	4	8	130
25 November 2019		1	4	4	
12 December 2020		1	5	5	
14 December 2020		1	5	5	
23 September 2020	Rita Island, Puerto Princesa City	1	4	4	31
04 May 2019		1	3	3	
09 October 2019		1	3	3	
12 November 2019		1	3	3	
15 August 2021	Arrecife Island, Puerto Princesa City	1	2	2	4
17 December 2020		1	2	2	
17 November 2019		1	2	2	
23 November 2019		1	2	2	
13 January 2018	Rasa Island, Narra	2	2	4	52
02 May 2019		2	3	6	
TOTAL	10	33	74	96	416

Identification

The work of Allen et al. (2003) was used in identifying the species. Unidentified photo of damselfishes was posted on a Facebook page ID please (Marine Creature Identification) (<https://www.facebook.com/groups/396180553763159>) for initial identification and was validated using the reef fishes field guide Allen et al. (2003). Taxonomic classification of all identified damselfishes was updated base from World Register of Marine Species (WORMS; <http://www.marinespecies.org>) and Fish Base Worlds Wide Web electronic publication (<http://fishbase.org>). An offline database serves as current repository of the photographs.

RESULTS

Among the 10 sites, Puerco Island had the highest number of species (32) belonging to 14 genera. This was followed by Binduyan, PPC with 30 species belonging to 9 genera, while the Hartman Beach in PPC had the lowest species (8) belonging to 3 genera recorded (Figure 2; Table 2).

In total, 60 species of damselfishes were recorded (Table 2), three of which were potential new record in Palawan: *Amblypomacentrus clarus* Allen & Adrim, 2000 cf.; *Dischistodus darwinensis* (Whitley, 1928) cf.; and *Pomacentrus aurifrons* Allen, 2004, cf. (Figure 3; Table 3).




Figure 2. Number of genera and species of damselfishes been recorded in Palawan.

Table 2. Damselfish species encountered during the survey in various localities in Palawan. Note: (✓) Indicates the present species in the area. CIEN – Cadlao Island, El Nido; HRA – Harts Reef, Araceli; BRT – Black Rock, Taytay; PIR – Puerco Island, Roxas; PBSV – Port Barton, San Vicente; BPPC – Binduyan, Puerto Princesa City; RIPPC – Rita Island, Puerto Princesa City; AIPPC – Arrecife Island, Puerto Princesa City; HBPPC – Hartman Beach, Puerto Princesa City; RIN – Rasa Island, Narra.

No.	Scientific Name	CIEN	HRA	BRT	PIR	PBSV	BPPC	RIPPC	AIPPC	HBPPC	RIN
1	<i>Abudefduf bengalensis</i> (Bloch, 1787)							✓			
2	<i>Abudefduf lorenzi</i> Hensley & Allen, 1977							✓			
3	<i>Abudefduf sexfasciatus</i> (Lacepède, 1801)	✓	✓		✓	✓		✓	✓		
4	<i>Abudefduf vaigiensis</i> (Quoy & Gaimard, 1825)				✓		✓			✓	✓
5	<i>Acanthochromis polyacanthus</i> (Bleeker, 1855)			✓	✓			✓			✓
6	<i>Amblyglyphidodon aureus</i> (Cuvier, 1830)					✓		✓			✓
7	<i>Amblyglyphidodon batunai</i> Allen, 1995				✓			✓			
8	<i>Amblyglyphidodon curacao</i> Bloch, 1787)	✓		✓	✓	✓	✓	✓	✓		✓
9	<i>Amblyglyphidodon leucogaster</i> (Bleeker, 1847)						✓				
10	<i>Amblypomacentrus clarus</i> Allen & Adrim, 2000				✓						
11	<i>Amphiprion clarkii</i> (Bennett, 1830)					✓	✓	✓			✓
12	<i>Amphiprion frenatus</i> Brevoort, 1856		✓				✓	✓			
13	<i>Amphiprion ocellaris</i> Cuvier, 1830						✓	✓	✓		
14	<i>Amphiprion perideraion</i> Bleeker, 1855						✓				

No.	Scientific Name	CIEN	HRA	BRT	PIR	PBSV	BPPC	RIPPC	AIPPC	HBPPC	RIN
15	<i>Amphiprion polymnus</i> (Linnaeus, 1758)						✓				
16	<i>Amphiprion sandaracinos</i> Allen, 1972				✓	✓					✓
17	<i>Chromis atripectoriales</i> Welander & Schultz, 1951	✓									
18	<i>Chromis retrofasciata</i> Weber, 1913						✓				
19	<i>Chromis ternatensis</i> (Bleeker, 1856)						✓				✓
20	<i>Chromis viridis</i> (Cuvier, 1830)		✓		✓		✓				✓
21	<i>Chromis weberi</i> Fowler & Bean, 1928				✓		✓				
22	<i>Chromis xanthura</i> (Bleeker, 1854)						✓				
23	<i>Chrysiptera parasema</i> (Bleeker, 1877)				✓	✓	✓	✓			
24	<i>Chrysiptera oxycephala</i> (Fowler, 1918)							✓			
25	<i>Chrysiptera rex</i> (Snyder, 1909)			✓							
26	<i>Chrysiptera rollandi</i> (Whitley, 1961)						✓				
27	<i>Dascyllus auratus</i> (Linnaeus, 1758)	✓					✓				
28	<i>Dascyllus melanurus</i> Bleeker, 1854				✓					✓	
29	<i>Dascyllus reticulatus</i> (Richardson, 1846)	✓		✓	✓		✓		✓	✓	✓
30	<i>Dascyllus trimaculatus</i> (Rüppell, 1829)	✓	✓		✓		✓		✓		✓
31	<i>Dischistodus chrysopoecilus</i> (Schlegel & Müller, 1839)				✓					✓	
32	<i>Dischistodus darwiniensis</i> (Whitley, 1928)				✓						
33	<i>Dischistodus perspicillatus</i> (Cuvier, 1830)				✓			✓			
34	<i>Dischistodus prosopotaena</i> (Bleeker, 1852)				✓			✓			
35	<i>Hemiglyphidodon plagiometapon</i> (Bleeker, 1852)				✓			✓			
36	<i>Neoglyphidodon melas</i> (Cuvier, 1830)			✓	✓	✓	✓				
37	<i>Neoglyphidodon nigroris</i> (Cuvier, 1830)		✓	✓	✓	✓					
38	<i>Neoglyphidodon oxyodon</i> (Bleeker, 1858)				✓						
39	<i>Neopomacentrus filamentosus</i> (MacLeay, 1882)				✓	✓					
40	<i>Plectroglyphidodon lacrymatus</i> (Quoy & Gaimard, 1825)			✓	✓		✓		✓		✓
41	<i>Pomacentrus adelus</i> Allen, 1991										
42	<i>Pomacentrus alexanderae</i> Evermann & Seale, 1907			✓	✓	✓	✓	✓	✓		✓
43	<i>Pomacentrus amboinensis</i> Bleeker, 1868						✓				
44	<i>Pomacentrus armillatus</i> Allen, 1993			✓	✓		✓		✓		
45	<i>Pomacentrus aurifrons</i> Allen, 2004			✓	✓						
46	<i>Pomacentrus auriventris</i> Allen, 1991								✓		
47	<i>Pomacentrus bankanensis</i> Bleeker, 1854		✓		✓						
48	<i>Pomacentrus brachialis</i> Cuvier, 1830		✓				✓				
49	<i>Pomacentrus burroughi</i> Fowler, 1918										

No.	Scientific Name	CIEN	HRA	BRT	PIR	PBSV	BPPC	RIPPC	AIPPC	HBPPC	RIN
50	<i>Pomacentrus chrysurus</i> Cuvier, 1830									✓	
51	<i>Pomacentrus coelestis</i> Jordan & Starks, 1901	✓		✓	✓		✓		✓	✓	✓
52	<i>Pomacentrus grammorhynchus</i> Fowler, 1918				✓				✓		
53	<i>Pomacentrus geminospilus</i> Allen, 1993						✓				
54	<i>Pomacentrus lepidogenys</i> Fowler & Bean, 1928		✓	✓			✓				✓
55	<i>Pomacentrus moluccensis</i> Bleeker, 1853	✓	✓	✓	✓	✓	✓			✓	✓
56	<i>Pomacentrus philippinus</i> Evermann & Seale, 1907			✓			✓				✓
57	<i>Pomacentrus stigma</i> Fowler & Bean, 1928		✓	✓	✓						✓
58	<i>Pomacentrus tripunctatus</i> Cuvier, 1830									✓	
59	<i>Pomacentrus vaiuli</i> Jordan & Seale, 1906						✓				
60	<i>Premnas biaculeatus</i> (Bloch, 1790)				✓	✓		✓			
Total		8	10	16	32	12	30	17	11	8	17



Figure 3. Underwater photographs of three potential new records of damselfishes in Palawan. A) *Amblypomacentrus clarus* Allen & Adrim, 2000; B) *Dischistodus darwiniensis* (Whitley, 1928); and C) *Pomacentrus aurifrons* Allen, 2004.

Table 3. Distribution of damselfish species in the Philippines and in this study. (*) asterisk as indicated in numbers 20, 111, and 150 were the new records for Palawan.

No.	Scientific Name	Tropical Pacific (Allen et al. 2003)	Northern Palawan (Allen et al. 2011)	Taytay, Palawan (Gonzales et al. 2014)	EL Nido, Palawan (Allen et al. 2015)	Busuanga Island, Palawan (Bernardi et al. 2017)	Western Sulu Sea (Balisco and Dolorosa 2019)	Tubbataha Reefs Natural Park (Unpublished data)	This Study
1	<i>Abudefduf bengalensis</i> (Bloch, 1787)	✓					✓		✓
2	<i>Abudefduf lorenzi</i> Hensley & Allen, 1977	✓					✓		✓
3	<i>Abudefduf notatus</i> (Day, 1870)	✓							
4	<i>Abudefduf septemfasciatus</i> (Cuvier, 1830)	✓					✓		
5	<i>Abudefduf sexfasciatus</i> (Lacepède, 1801)	✓					✓	✓	✓
6	<i>Abudefduf sordidus</i> (Forsskal, 1775)	✓					✓		
7	<i>Abudefduf vaigiensis</i> (Quoy & Gaimard, 1825)	✓					✓	✓	✓

No.	Scientific Name	Tropical Pacific (Allen et al. 2003)	Northern Palawan (Allen et al. 2011)	Taytay, Palawan (Gonzales et al. 2014)	EL Nido, Palawan (Allen et al. 2015)	Bustanga Island, Palawan (Bernardi et al. 2017)	Western Sulu Sea (Balisco and Dolorosa 2019)	Tubbataha Reefs Natural Park (Unpublished data)	This Study
8	<i>Abudefduf whitleyi</i> Allen & Robertson, 1974	✓							
9	<i>Acanthochromis polyacanthus</i> (Bleeker, 1855)	✓		✓			✓	✓	✓
10	<i>Altrichthys curatus</i> Allen, 1999	✓							
11	<i>Altrichthys alelia</i> Bernardi, Longo & Quiros, 2017					✓			
12	<i>Altrichthys azurelineatus</i> (Fowler & Bean, 1928)	✓							
13	<i>Amblyglyphidodon aureus</i> (Cuvier, 1830)	✓		✓			✓	✓	✓
14	<i>Amblyglyphidodon batunai</i> Allen, 1995	✓					✓		✓
15	<i>Amblyglyphidodon curacao</i> (Bloch, 1787)	✓		✓			✓	✓	✓
16	<i>Amblyglyphidodon leucogaster</i> (Bleeker, 1847)	✓		✓			✓	✓	✓
17	<i>Amblyglyphidodon orbicularis</i> (Hombron & Jacquinot, 1853)	✓							
18	<i>Amblyglyphidodon ternatensis</i> (Bleeker, 1853)	✓					✓		
19	<i>Amblypomacentrus breviceps</i> (Schlegel & Müller, 1839)	✓					✓	✓	
20	* <i>Amblypomacentrus clarus</i> Allen & Adrim, 2000	✓							✓
21	<i>Amphiprion akallopisos</i> Bleeker, 1853	✓							
22	<i>Amphiprion akindynos</i> Allen, 1972	✓						✓	
23	<i>Amphiprion barberi</i> Allen, Drew & Kaufman, 2008	✓							
24	<i>Amphiprion Chrysopterus</i> Cuvier, 1830	✓						✓	
25	<i>Amphiprion clarkii</i> (Bennett, 1830)	✓		✓			✓	✓	✓
26	<i>Amphiprion ephippium</i> (Bloch, 1790)	✓							
27	<i>Amphiprion frenatus</i> Brevoort, 1856	✓					✓	✓	✓
28	<i>Amphiprion latezonatus</i> Waite, 1900	✓							
29	<i>Amphiprion leucokranos</i> Allen, 1973	✓							
30	<i>Amphiprion mccullochi</i> Whitley, 1929	✓							
31	<i>Amphiprion melanopus</i> Bleeker, 1852	✓					✓	✓	
32	<i>Amphiprion ocellaris</i> Cuvier, 1830	✓					✓	✓	✓
33	<i>Amphiprion pacificus</i> Allen, Drew & Fenner, 2010	✓							
34	<i>Amphiprion percula</i> (Lacepède, 1802)	✓							
35	<i>Amphiprion perideraion</i> Bleeker, 1855	✓					✓	✓	✓
36	<i>Amphiprion polymnus</i> (Linnaeus, 1758)	✓					✓		✓

No.	Scientific Name	Tropical Pacific (Allen et al. 2003)	Northern Palawan (Allen et al. 2011)	Taytay, Palawan (Gonzales et al. 2014)	EL Nido, Palawan (Allen et al. 2015)	Bustanga Island, Palawan (Bernardi et al. 2017)	Western Sulu Sea (Balisco and Dolorosa 2019)	Tubbataha Reefs Natural Park (Unpublished data)	This Study
37	<i>Amphiprion rubrocinctus</i> Richardson, 1842	✓							
38	<i>Amphiprion sandaracinos</i> Allen, 1972	✓					✓		✓
39	<i>Amphiprion sebae</i> Bleeker, 1853	✓						✓	
40	<i>Cheiloprion labiatus</i> (Day, 1877)	✓					✓		
41	<i>Chromis acares</i> Randall & Swerdloff, 1973	✓						✓	
42	<i>Chromis agilis</i> Smith, 1960	✓						✓	
43	<i>Chromis albicanda</i>	✓							
44	<i>Chromis albomaculata</i> Kamohara, 1960	✓							
45	<i>Chromis alleni</i> Randall, Ida & Moyer, 1981	✓							
46	<i>Chromis alpha</i> Randall, 1988	✓							
47	<i>Chromis amboinensis</i> (Bleeker, 1871)	✓					✓	✓	
48	<i>Chromis analis</i> (Cuvier, 1830)	✓					✓	✓	
49	<i>Chromis atripectoralis</i> Welander & Schultz, 1951	✓					✓	✓	✓
50	<i>Chromis atripes</i> Fowler & Bean, 1928	✓					✓	✓	
51	<i>Chromis caudalis</i> Randall, 1988	✓					✓	✓	
52	<i>Chromis chrysura</i> (Bliss, 1883)	✓						✓	
53	<i>Chromis cinerascens</i> (Cuvier, 1830)	✓							
54	<i>Chromis delta</i> Randall, 1988	✓						✓	
55	<i>Chromis dimidiata</i> (Klunzinger, 1871)	✓							
56	<i>Chromis elerae</i> Fowler & Bean, 1928	✓					✓	✓	
57	<i>Chromis flavipectoralis</i> Randall, 1988	✓						✓	
58	<i>Chromis flavomaculata</i> Kamohara, 1960	✓					✓		
59	<i>Chromis fumea</i> (Tanaka, 1917)	✓						✓	
60	<i>Chromis iomelas</i> Jordan & Seale, 1906	✓						✓	
61	<i>Chromis lepidolepis</i> Bleeker, 1877	✓					✓	✓	
62	<i>Chromis leucura</i> Gilbert, 1905	✓						✓	
63	<i>Chromis lineata</i> Fowler & Bean, 1928	✓						✓	
64	<i>Chromis margaritifer</i> Fowler, 1946	✓					✓	✓	
65	<i>Chromis nitida</i> (Whitley, 1928)	✓						✓	

No.	Scientific Name	Tropical Pacific (Allen et al. 2003)	Northern Palawan (Allen et al. 2011)	Taytay, Palawan (Gonzales et al. 2014)	EL Nido, Palawan (Allen et al. 2015)	Bustanga Island, Palawan (Bernardi et al. 2017)	Western Sulu Sea (Balisco and Dolorosa 2019)	Tubbataha Reefs Natural Park (Unpublished data)	This Study
66	<i>Chromis notata</i> (Temminck & Schlegel, 1843)	✓						✓	
67	<i>Chromis opercularis</i> (Günther, 1867)	✓					✓	✓	
68	<i>Chromis ovatifformes</i> Fowler, 1946	✓						✓	
69	<i>Chromis retrofasciata</i> Weber, 1913	✓					✓	✓	✓
70	<i>Chromis scotochiloptera</i> Fowler, 1918	✓						✓	
71	<i>Chromis ternatensis</i> (Bleeker, 1856)	✓					✓	✓	✓
72	<i>Chromis vanderbilti</i> (Fowler, 1941)	✓						✓	
73	<i>Chromis viridis</i> (Cuvier, 1830)	✓		✓			✓	✓	✓
74	<i>Chromis weberi</i> Fowler & Bean, 1928	✓					✓	✓	✓
75	<i>Chromis westaustralis</i> Allen, 1976	✓							
76	<i>Chromis xanthochira</i> (Bleeker, 1851)	✓					✓	✓	
77	<i>Chromis xanthura</i> (Bleeker, 1854)	✓					✓	✓	✓
78	<i>Chrysiptera arnaza</i> Allen, Erdmann & Barber, 2010	✓							
79	<i>Chrysiptera biocellata</i> (Quoy & Gaimard, 1825)	✓					✓	✓	
80	<i>Chrysiptera bleekeri</i> (Fowler & Bean, 1928)	✓							
81	<i>Chrysiptera brownriggii</i> (Bennett, 1828)	✓					✓		
82	<i>Chrysiptera caeruleolineata</i> (Allen, 1973)	✓							
83	<i>Chrysiptera chrysocephala</i> Manica, Pilcher & Oakley, 2002				✓				
84	<i>Chrysiptera cyanea</i> (Quoy & Gaimard, 1825)	✓		✓			✓	✓	
85	<i>Chrysiptera cymatilis</i> Allen, 1999	✓							
86	<i>Chrysiptera flavipinnis</i> (Allen & Robertson, 1974)	✓							
87	<i>Chrysiptera glauca</i> (Cuvier, 1830)	✓						✓	
88	<i>Chrysiptera hemicyanea</i> (Weber, 1913)	✓							
89	<i>Chrysiptera kuiteri</i> Allen & Rajasuriya, 1995	✓							
90	<i>Chrysiptera oxycephala</i> (Fowler, 1918)	✓					✓	✓	✓
91	<i>Chrysiptera parasema</i> (Bleeker, 1877)	✓		✓			✓	✓	✓
92	<i>Chrysiptera rex</i> (Snyder, 1909)	✓					✓	✓	✓
93	<i>Chrysiptera rollandi</i> (Whitley, 1961)	✓					✓	✓	✓
94	<i>Chrysiptera sinclairi</i> Allen, 1987	✓							

No.	Scientific Name	Tropical Pacific (Allen et al. 2003)	Northern Palawan (Allen et al. 2011)	Taytay, Palawan (Gonzales et al. 2014)	EL Nido, Palawan (Allen et al. 2015)	Bustanga Island, Palawan (Bernardi et al. 2017)	Western Sulu Sea (Balisco and Dolorosa 2019)	Tubbataha Reefs Natural Park (Unpublished data)	This Study
95	<i>Chrysiptera</i> sp.	✓							
96	<i>Chrysiptera springeri</i> (Allen & Lubbock, 1976)	✓						✓	
97	<i>Chrysiptera starcki</i> (Allen, 1973)	✓							
98	<i>Chrysiptera talboti</i> (Allen, 1975)	✓						✓	
99	<i>Chrysiptera taupou</i> (Jordan & Seale, 1906)	✓							
100	<i>Chrysiptera traceyi</i> (Woods & Schultz, 1960)	✓						✓	
101	<i>Chrysiptera tricineta</i> (Allen & Randall, 1974)	✓		✓					
102	<i>Chrysiptera unimaculata</i> (Cuvier, 1830)	✓						✓	
103	<i>Dascyllus aruanus</i> (Linnaeus, 1758)	✓					✓	✓	✓
104	<i>Dascyllus auripinnis</i> Randall & Randall, 2001	✓							
105	<i>Dascyllus carneus</i> Fischer, 1885	✓						✓	
106	<i>Dascyllus flavicaudus</i> Randall & Allen, 1977	✓							
107	<i>Dascyllus melanurus</i> Bleeker, 1854	✓					✓		✓
108	<i>Dascyllus reticulatus</i> (Richardson, 1846)	✓		✓			✓	✓	✓
109	<i>Dascyllus trimaculatus</i> (Rüppell, 1829)	✓		✓			✓	✓	✓
110	<i>Dischistodus chrysopoecilus</i> (Schlegel & Müller, 1839)	✓						✓	✓
111	* <i>Dischistodus darwiniensis</i> (Whitley, 1928)	✓							✓
112	<i>Dischistodus fasciatus</i> (Cuvier, 1830)	✓					✓		✓
113	<i>Dischistodus melanotus</i> (Bleeker, 1858)	✓		✓			✓	✓	
114	<i>Dischistodus perspicillatus</i> (Cuvier, 1830)	✓		✓			✓		✓
115	<i>Dischistodus pseudochrysopoecilus</i> (Allen & Robertson, 1974)	✓							
116	<i>Dischistodus prosopotaenia</i> (Bleeker, 1852)	✓					✓		✓
117	<i>Hemiglyphidodon plagiometopon</i> (Bleeker, 1852)	✓		✓			✓		✓
118	<i>Lepidozygus tapeinosoma</i> (Bleeker, 1856)	✓							
119	<i>Neoglyphidodon bonang</i> (Bleeker, 1852)	✓					✓		
120	<i>Neoglyphidodon carlsoni</i> (Allen, 1975)	✓							
121	<i>Neoglyphidodon crossi</i> Allen, 1991	✓					✓	✓	
122	<i>Neoglyphidodon melas</i> (Cuvier, 1830)	✓		✓			✓	✓	✓
123	<i>Neoglyphidodon mitratus</i> Allen & Erdmann, 2012	✓							

No.	Scientific Name	Tropical Pacific (Allen et al. 2003)	Northern Palawan (Allen et al. 2011)	Taytay, Palawan (Gonzales et al. 2014)	EL Nido, Palawan (Allen et al. 2015)	Bustanga Island, Palawan (Bernardi et al. 2017)	Western Sulu Sea (Balisco and Dolorosa 2019)	Tubbataha Reefs Natural Park (Unpublished data)	This Study
124	<i>Neoglyphidodon nigroris</i> (Cuvier, 1830)	✓		✓			✓	✓	✓
125	<i>Neoglyphidodon oxyodon</i> (Bleeker, 1858)	✓					✓	✓	✓
126	<i>Neoglyphidodon polyacanthus</i> (Ogilby, 1889)	✓							
127	<i>Neoglyphidodon thoracotaeniatus</i> (Fowler & Bean, 1928)	✓					✓	✓	
128	<i>Neopomacentrus anabatooides</i> (Bleeker, 1847)							✓	
129	<i>Neopomacentrus aquadulcis</i> Jenkins & Allen, 2002	✓							
130	<i>Neopomacentrus azysron</i> (Bleeker, 1877)	✓						✓	
131	<i>Neopomacentrus bankiere</i> (Richardson, 1846)	✓							
132	<i>Neopomacentrus cyanomos</i> (Bleeker, 1856)	✓						✓	
133	<i>Neopomacentrus filamentosus</i> (MacLeay, 1882)	✓					✓	✓	✓
134	<i>Neopomacentrus nemurus</i> (Bleeker, 1857)	✓						✓	
135	<i>Neopomacentrus taeniurus</i> (Bleeker, 1856)	✓							
136	<i>Neopomacentrus violascens</i> (Bleeker, 1848)	✓						✓	
137	<i>Plectroglyphidodon dickii</i> (Liénard, 1839)	✓					✓	✓	
138	<i>Plectroglyphidodon imparipennis</i> (Vaillant & Sauvage, 1875)	✓							
139	<i>Plectroglyphidodon johnstonianus</i> Fowler & Ball, 1924	✓		✓				✓	
140	<i>Plectroglyphidodon lacrymatus</i> (Quoy & Gaimard, 1825)	✓		✓			✓	✓	✓
141	<i>Plectroglyphidodon leucozonus</i> (Bleeker, 1859)	✓						✓	
142	<i>Plectroglyphidodon phoenixensis</i> (Schultz, 1943)	✓						✓	
143	<i>Pomacentrus adelus</i> Allen, 1991	✓					✓		✓
144	<i>Pomacentrus albimaculus</i> Allen, 1975	✓							
145	<i>Pomacentrus alexanderae</i> Evermann & Seale, 1907	✓		✓			✓	✓	✓
146	<i>Pomacentrus alleni</i> Burgess, 1981	✓							
147	<i>Pomacentrus amboinensis</i> Bleeker, 1868	✓		✓			✓	✓	✓
148	<i>Pomacentrus armillatus</i> Allen, 1993	✓					✓	✓	✓
149	<i>Pomacentrus auriventris</i> Allen, 1991	✓						✓	✓
150	* <i>Pomacentrus aurifrons</i> Allen, 2004	✓							✓
151	<i>Pomacentrus australis</i> Allen & Robertson, 1974	✓							
152	<i>Pomacentrus azuremaculatus</i> Allen, 1991	✓							

No.	Scientific Name	Tropical Pacific (Allen et al. 2003)	Northern Palawan (Allen et al. 2011)	Taytay, Palawan (Gonzales et al. 2014)	EL Nido, Palawan (Allen et al. 2015)	Bustanga Island, Palawan (Bernardi et al. 2017)	Western Sulu Sea (Balisco and Dolorosa 2019)	Tubbataha Reefs Natural Park (Unpublished data)	This Study
153	<i>Pomacentrus bankanensis</i> Bleeker, 1854	✓					✓	✓	✓
154	<i>Pomacentrus brachialis</i> Cuvier, 1830	✓					✓	✓	✓
155	<i>Pomacentrus burroughi</i> Fowler, 1918	✓					✓	✓	✓
156	<i>Pomacentrus caeruleus</i> Quoy & Gaimard, 1825							✓	
157	<i>Pomacentrus cheraphilus</i> Allen, Erdmann & Hilomen, 2011		✓						
158	<i>Pomacentrus chrysurus</i> Cuvier, 1830	✓		✓			✓	✓	✓
159	<i>Pomacentrus coelestis</i> Jordan & Starks, 1901	✓					✓	✓	✓
160	<i>Pomacentrus colini</i> Allen, 1991	✓							
161	<i>Pomacentrus cuneatus</i> Allen, 1991	✓							
162	<i>Pomacentrus geminospilus</i> Allen, 1993	✓					✓		✓
163	<i>Pomacentrus grammorhynchus</i> Fowler, 1918	✓						✓	✓
164	<i>Pomacentrus imitator</i> (Whitley, 1964)	✓							
165	<i>Pomacentrus indicus</i> Allen, 1991							✓	
166	<i>Pomacentrus javanicus</i> Allen, 1991	✓							
167	<i>Pomacentrus komodoensis</i> Allen, 1999	✓							
168	<i>Pomacentrus lepidogenys</i> Fowler & Bean, 1928	✓					✓	✓	✓
169	<i>Pomacentrus limosus</i> Allen, 1992	✓							
170	<i>Pomacentrus littoralis</i> Cuvier, 1830	✓					✓		
171	<i>Pomacentrus melanochir</i> Bleeker, 1877	✓							
172	<i>Pomacentrus microspilus</i> Allen & Randall, 2005	✓							
173	<i>Pomacentrus milleri</i> Taylor, 1964	✓							
174	<i>Pomacentrus moluccensis</i> Bleeker, 1853	✓		✓			✓	✓	✓
175	<i>Pomacentrus nagasakiensis</i> Tanaka, 1917	✓		✓				✓	
176	<i>Pomacentrus nigromanus</i> Weber, 1913							✓	
177	<i>Pomacentrus nigromarginatus</i> Allen, 1973	✓						✓	
178	<i>Pomacentrus opisthostigma</i> Fowler, 1918	✓					✓		
179	<i>Pomacentrus pavo</i> (Bloch, 1787)	✓							
180	<i>Pomacentrus philippinus</i> Evermann & Seale, 1907	✓					✓	✓	✓
181	<i>Pomacentrus polyspinus</i> Allen, 1991	✓							

No.	Scientific Name	Tropical Pacific (Allen et al. 2003)	Northern Palawan (Allen et al. 2011)	Taytay, Palawan (Gonzales et al. 2014)	EL Nido, Palawan (Allen et al. 2015)	Bustanga Island, Palawan (Bernardi et al. 2017)	Western Sulu Sea (Balisco and Dolorosa 2019)	Tubbataha Reefs Natural Park (Unpublished data)	This Study
182	<i>Pomacentrus proteus</i> Allen, 1991	✓					✓		
183	<i>Pomacentrus reidi</i> Fowler & Bean, 1928	✓						✓	
184	<i>Pomacentrus saksonoi</i> Allen, 1995	✓							
185	<i>Pomacentrus similis</i> Allen, 1991	✓						✓	
186	<i>Pomacentrus simsiang</i> Bleeker, 1856	✓					✓	✓	
187	<i>Pomacentrus smithi</i> Fowler & Bean, 1928	✓					✓	✓	
188	<i>Pomacentrus</i> sp.	✓		✓					
189	<i>Pomacentrus spilotoceps</i> Randall, 2002	✓							
190	<i>Pomacentrus stigma</i> Fowler & Bean, 1928	✓					✓	✓	✓
191	<i>Pomacentrus taeniotopon</i> Bleeker, 1852	✓							
192	<i>Pomacentrus tripunctatus</i> Cuvier, 1830	✓					✓	✓	✓
193	<i>Pomacentrus vaiuli</i> Jordan & Seale, 1906	✓					✓	✓	
194	<i>Pomacentrus wardi</i> Whitley, 1927	✓						✓	
195	<i>Pomacentrus yoshii</i> Allen & Randall, 2004	✓							
196	<i>Pomachromis guamensis</i> Allen & Larson, 1975	✓							
197	<i>Pomachromis richardsoni</i> (Snyder, 1909)	✓		✓				✓	
198	<i>Premnas biaculeatus</i> (Bloch, 1790)	✓					✓		✓
199	<i>Stegastes albifasciatus</i> (Schlegel & Müller, 1839)	✓							
200	<i>Stegastes altus</i> (Okada & Ikeda, 1937)	✓						✓	
201	<i>Stegastes apicalis</i> (De Vis, 1885)	✓							
202	<i>Stegastes aureus</i> (Fowler, 1927)	✓					✓	✓	
203	<i>Stegastes fasciolatus</i> (Ogilby, 1889)	✓							
204	<i>Stegastes gascoynei</i> (Whitley, 1964)	✓							
205	<i>Stegastes lividus</i> (Forster, 1801)			✓			✓	✓	
206	<i>Stegastes nigricans</i> (Lacepède, 1802)	✓					✓		
207	<i>Stegastes obreptus</i> (Whitley, 1948)	✓							
208	<i>Stegastes punctatus</i> (Quoy & Gaimard, 1825)	✓							
	Total	200	1	26	1	1	87	106	60

DISCUSSION

The observed variation in species richness across study sites could have been influenced by the health of the reef, level of protection, and sampling effort. Coral-obligate damselfishes tend to occupy larger coral colonies rather than a smaller one (Nadler et al. 2014). There is also a direct relation between the density of chaetodontid fishes and the diversity of the coral community (Bouchon-Navaro and Bouchon 1989). While we have no record of coral diversity and sizes of colonies in Puerco Island, it is assumed that effective fishing closure favored uninterrupted growth especially of branching *Acropora*, the usual habitats of damselfishes. No take MPAs are known to promote higher coral cover, greater fish biomass (Strain et al. 2019) and stabilized species diversity (Pettersen et al. 2022). The station in Binduyan has the second highest number of damselfishes, is situated right in front of the WPU-Binduyan Marine Research Station, an open-access area for the locals engaging in artisanal fishing while also serving as aquaculture demonstration site for abalone. This is also the site with the highest dive effort and photo-video-documentation activities. Other sampling sites, although part of MPAs (e.g. Hart Reef, Black Rock and Rasa Island), remained susceptible to fishing due to inadequate patrol mechanisms. The use of explosives and drive nets can either cause a decline or increase in abundance of reef associated (Russ and Alcala 1989), while local fishing pressures and hard coral cover have direct influence on the abundance of different fish trophic levels (Elston et al. 2020). Other factors that affect species distribution and abundance include depths and wave exposure (Depczynski and Bellwood 2005; Medeiros et al. 2010; De Chaves et al. 2021).

The current number of damselfish species in Palawan (140 species) is higher than in other biogeographic regions in the country: Celebes Sea (83), Northern Philippine Sea (85), West Philippine Sea (79), Southern Philippine Sea (64), Sulu Sea (87) and Visayan Region (72) species, respectively (see Nañola et al. 2011). In addition, the current number in Palawan is higher than what has been reported (118 species) for the Philippines a few decades ago (see Sin et al. 1994).

Of the 60 species documented in Palawan, three are potential new records. *Amblypomacentrus clarus* are known to occur in the reefs of Cambodia, Indonesia and the Philippines at 15-25 m deep (Allen and Erdmann 2012), hence, its occurrence in Palawan is highly possible. The species occurred in intertidal sandy-rubble flat with patches of seagrass, suggesting an expanded depth range for the species. The second species, *D. darwininensis* are known to occur in silty inshore and coral reefs in northern Australia (Hoese et al. 2006). In Palawan, the species are found in a shallow sandy-rubble substrate with patches of seagrass. Its possible occurrence in the reefs of

Palawan reflects a wide geographic range for the species. The third species, *P. aurifrons*, are common at 2-14 m deep coastal and offshore reefs in Western Central Pacific particularly in New Caledonia, Papua New Guinea, Solomon Islands and Vanuatu (Allen 2004). Considering the limited and blurry photos that we have for each species, there is a need for further documentation and capture of specimens to ascertain the identity of the species.

The continued discovery of new damselfish species (Pyle et al. 2008, Randall and DiBattista 2013, Habib et al. 2020, McFarland et al. 2020, Allen et al. 2022), and reports on expanded distribution range (Bourjon et al. 2019, Bennett et al. 2019, Islam and Habib 2020, Sen et al. 2021) suggest that more species remained to be documented. Continued photo-video documentation could help increase in understanding species diversity and discovery of new species.

FUNDING

This study formed part of the research project Catalogue of Reef Associated Flora and Fauna of Palawan, Philippines with funding support from the Research Development and Extension of the Western Philippines University.

ETHICAL CONSIDERATIONS

No animals were captured in this study.

DECLARATION OF COMPETING INTEREST

The authors declare that there is no competing interests to any authors.

ACKNOWLEDGMENTS

We greatly appreciate the helpful comments and suggestions of the two anonymous reviewers.

REFERENCES

- Allen GR. 2004. *Pomacentrus aurifrons*, a new species of damselfish (Pomacentridae) from Melanesia. Zootaxa, 399(1): 1-7. <https://doi.org/10.11646/zootaxa.399.1>
- Allen GR, Drew J and Fenner D. 2010. *Amphiprion pacificus*, a new species of anemonefish (Pomacentridae) from Fijim Tonga, Samoa, and Wallis Island. aqua, International Journal of Ichthyology, 16(3): 129-138.
- Allen GR, Drew J and Kaufman L. 2008. *Amphiprion barberi*, a new species of anemonefish (Pomacentridae) from Fili, Tonga, and Samoa. aqua, International Journal of Ichthyology, 14(3):105-114.
- Allen GR and Erdmann MV. 2009. Two new species of damselfishes (Pomacentridae: *Chromis*) from Indonesia. aqua, International Journal of Ichthyology, 15(3):121-134.
- Allen GR, Erdmann MV and Kurniasih EM. 2009. *Chrysiptera caesifrons*, a new species of damselfish (Pomacentridae) from the south-western Pacific Ocean. Journal of the Ocean Science Foundation, 15: 16-32.

- Allen GR and Erdmann MV. 2012. Reef fishes of the East Indies. Vol. II, Pomacentridae. Tropical Reef Research, Perth, Australia, pp. 561-630.
- Allen GR, Erdmann MV and Hiloman VV. 2011. A new species of damselfish (*Pomacentrus*: Pomacentridae) from Brunei and the Philippines. *aqua*, International Journal of Ichthyology, 17(1): 35-42
- Allen GR, Erdmann MV and Kurniasih EM. 2015. *Chrysiptera caesifrons*, a new species of damselfish (Pomacentridae) from the south-western Pacific Ocean. *Journal of the Ocean Science Foundation*, 15:16-32.
- Allen GR, Erdmann MV and Pertiwi NPD. 2022. Description of three new species of damselfish belonging to the *Pomacentrus philippinus* group (Pomacentridae) from Melanesia and the eastern and central Indian Ocean. *aqua*, International Journal of Ichthyology, 28(1): 1-26
- Allen G, Steene R, Humann P and Deloach N. 2003. Reef fish identification (Tropical Pacific). New World Publication, Inc. 101pp.
- Allen GR and Wright JE. 2003. Description of a new species of damselfish (Pomacentridae: *Pomacentrus*) from Rodrigues Island, Indian Ocean. *aqua*, International Journal of Ichthyology, 7(4): 133-138
- Arango BG, Pinheiro HT, Rocha CR, Greene BD, Pyle RL, Copus JM, Shepherd B and Rocha LA. 2019. Three new species of Chromis (Teleostei, Pomacentridae) from mesophotic coral ecosystems of the Philippines. *Zookeys*, 835: 1-15. <https://doi.org/10.3897/zookeys.835.27528>
- Balisco RAT and Dolorosa RG. 2019. The reef-associated fishes of west sulu sea, Palawan Philippines: a checklist and trophic structure. *Aquaculture, Aquarium, Conservation & Legislation - International Journal of the Bioflux Society*, 12(4): 1260-1299.
- Bennett CT, Robertson A and Patterson III WF. 2019. First record of the non-indigenous Indo-Pacific damselfish, *Neopomacentrus cyanomos* (Bleeker, 1856) in the northern Gulf of Mexico. *BioInvasions Records*, 8(1): 154-166. <https://doi.org/10.3391/bir.2019.8.1.17>
- Bernardi G, Longo GC and Quiros TL. 2017. *Altrichthys alelia*, a new brooding damselfish (Teleostei, Perciformes, Pomacentridae) from Busuanga Island, Philippines. *ZooKeys*, 675: 45-55. <https://doi.org/10.3897/zookeys.675.12061>
- Bellwood DR and Wainwright PC. 2002. The History and Biogeography of Fishes on Coral Reefs. In: PF Sale (ed). *Coral Reef Fishes: Dynamics and Diversity in a Complex Ecosystem*. Academic Press, San Diego, California, pp. 5-32.
- Bruckner AW. 2005. The importance of the marine ornamental reef fish trade in the wider Caribbean. *Revista de Biología Tropical (International Journal of Tropical Biology and Conservation)*, 53(1): 127-138.
- Bouchon-Navaro Y and Bouchon C. 1989. Correlations between chaetodontid fishes and coral communities of the Gulf of Aqaba (Red Sea). *Environmental Biology of Fishes*, 25: 47-60.
- Bourjon P, Crochelet E and Fricke R. 2019. First record of the large caerulean damselfish, *Pomacentrus caeruleopunctatus* (Actinopterygii: Perciformes: Pomacentridae), from Reunion Island, South-West Indian Ocean. *Acta Ichthyologica Piscatoria*, 49(1): 59-63. <https://doi.org/10.3750/AIEP/02468>
- Chase TJ, Pratchett MS, McWilliam MJ, Hein MY, Tebbett SB and Hoogenboom M O. 2020. Damselfishes alleviate the impacts of sediments on host corals. *Royal Society Open Science*, 7(4): 192074. <https://doi.org/10.1098/rsos.192074>
- De Chaves LCT, Feitosa JLL, Xavier TF, Ferreira BP and Ferreira CEL. 2021. Drivers of damselfishes distribution patterns in the southwestern Atlantic: Tropical and subtropical reefs compared. *Neotropical Ichthyology*, 19:1-22.
- Depczynski M and Bellwood DR. 2005. Wave energy and spatial variability in community structure of small cryptic coral reef fishes. *Marine Ecology Progress Series*, 303: 283-293. <https://doi.org/10.3354/meps303283>
- Elston C, Dallison T and Jones PR. 2020. Factors influencing the abundance patterns of reef fish functional guilds in two coastal bays, Philippines. *Ocean and Coastal Management*, 198: 105386. <https://doi.org/10.1016/j.ocecoaman.2020.105386>
- English S, Wilkinson C and Baker V. 1997. Survey Manual for Tropical Marine Resources 2nd Edition. Australian Institute of Marine Science, Townsville, Queensland. 383pp.
- Gonzales BJ. 2013. Field Guide to Coastal Fishes of Palawan. Coral Triangle Initiative on Corals, Fisheries and Food Security, Quezon City, Philippines. 208pp.
- Gonzales BJ, Dolorosa RG, Pagliawan HB and Gonzales MG. 2014. Marine resource assessment for sustainable management of Apulit Island. West Sulu Sea, Palawan, Philippines. *International Journal of Fisheries and Aquatic Studies*, 2(2): 130-136.
- Habib KA, Islam MJ, Nahar N and Neogi AK. 2020. *Pomacentrus bangladeshius*, a new species of damselfish (Perciformes, Pomacentridae) from Saint Martin's Island, Bangladesh. *Zootaxa*, 4860(3): 413-424. <https://doi.org/10.11646/zootaxa.4860.3.6>
- Hoesel DF, Bray DJ, Paxton JR and Allen GR. 2006. Fishes. In: Beasley OL and Wells A (eds). *Zoological Catalogue of Australia*. Volume 35 Australia: ABRS & CSIRO Publishing, pp. 2178.
- Islam MJ and Habib KA. 2020. Four new records of damselfish (pomacentridae) from saint Martin's Island, Bangladesh. *Bangladesh Journal of Zoology*, 48(1): 57-66. <https://doi.org/10.3329/bjz.v48i1.47876>
- Jones GP, Santana L, McCook LJ and McCormick MI. 2006. Resource use and impact of three herbivorous damselfish on coral communities. *Marine Ecology Progress Series*, 328: 215-224. <https://doi.org/10.3354/meps328215>
- Lobel PS. 1980. Herbivory by damselfishes and their role in coral reef community ecology: Biology of Damselfishes. *Bulletin of Marine Sciences*, 30: 273-289.
- McFarland EP, Baldwin CC, Robertson DR, Rocha LA and Tornabebe L. 2020. A new species of Chromis damselfish from the tropical western Atlantic (Teleostei, Pomacentridae). *Zookeys*, 1008: 107-138. <https://doi.org/10.3897/zookeys.1008.58805>
- Medeiros PR, Souza AT and Ilarri MI. 2010. Habitat use and behavioural ecology of the juveniles of two sympatric damselfishes (Actinopterygii: Pomacentridae) in the south-western Atlantic Ocean. *Journal of Fish Biology*, 77: 1599-1615. <https://doi.org/10.1111/j.1095-8649.2010.02795.x>
- Muyot F, Mutia MT, Manejar AJ, Guirhem G and Muñoz M. 2019. Status of ornamental fish industry in the Philippines: prospects for development. *The Philippine Journal of Fisheries*, 26(2): 82-97. <https://doi.org/10.31398/tpjf/26.2.2019A0011>
- Nadler LE, McNeill DC, Alwany MA and Bailey DM. 2014. Effect of habitat characteristics on the distribution and abundance of damselfish within a Red Sea reef. *Environmental Biology of Fishes*, 97(11): 1265-1277. <https://doi.org/10.1007/s10641-013-0212-9>
- Nañola Jr. CL, Aliño PM and Carpenter KE. 2011. Exploitation-related reef fish species richness depletion in the epicenter of marine biodiversity. *Environmental Biology of Fishes*, 90(4): 405-420. <https://doi.org/10.1007/s10641-010-9750-6>
- Parenti P. 2021. An annotated checklist of damselfishes, Family Pomacentridae Bonaparte, 1831. *Journal of animal biodiversity*, 3(1): 37-109. <http://dx.doi.org/10.52547/JAD.2021.3.1.6>
- Pettersen AK, Marzinelli EM, Steinberg PD and Coleman MA. 2022. Impact of marine protected areas on temporal stability of fish species diversity. *Conservation Biology*, 36(2): e13815. <https://doi.org/10.1111/cobi.13815>

- Pyle RL, Earle JL and Greene BD. 2008. Five new species of the damselfish genus *Chromis* (Perciformes: Labroidae: Pomacentridae) from deep coral reefs in the tropical western Pacific. *Zootaxa*, 1671(1): 3-31. <https://doi.org/10.11646/zootaxa.1671.1.2>
- Randall JE and DiBattista JD. 2013. A new species of damselfish (Pomacentridae) from the Indian Ocean. *aqua, International Journal of Ichthyology*, 19: 1-16.
- Russ G and Alcala A. 1989. Effects of intense fishing pressure on an assemblage of coral reef fishes. *Marine Ecology Progress Series*, 56: 13-27. <https://doi.org/10.3354/meps056013>
- Sen A, Sreeraj CR, Raghunathan C and Chandra K. 2021. First report of the fish family Pomacentridae (Damsel fishes) from Sunderban biosphere reserve, India. *International Journal of Fisheries and Aquatic Sciences*, 9(1): 142-145. <https://doi.org/10.22271/fish.2021.v9.i1b.2396>
- Sin TM, Teo MM, Ng PKL, Chou LM and Khoo HW. 1994. The damselfishes (Pisces: Osteichthyes: Pomacentridae) of Peninsular Malaysia and Singapore: systematics, ecology and conservation. *Hydrobiologia*, 285: 49-58. <https://doi.org/10.1007/BF00005653>
- Strain EMA, Edgar GJ, Ceccarelli D, Stuart-Smith RD, Hosack GR and Thomson RJ. 2019. A global assessment of the direct and indirect benefits of marine protected areas for coral reef conservation. *Diversity and Distributions*, 25(173): 9-20. <https://doi.org/10.1111/ddi.12838>
- ROLE OF AUTHORS:** RLV – fish identification, database updating and manuscript writing; NJMFM – data collection, fish identification and manuscript writing; EGV – data collection, fish identification and manuscript writing; MADM – database design and updating, manuscript writing; RGD – conceptualization, funding acquisition, data collection and manuscript writing.